

## *Automutilations*

### *Références bibliographiques*

- Ackerman N. W. (1937), « The family as a social and emotional unit », in Ackerman N. W., Bloch D., Simon R. (dir.), *The Strength of Family Therapy, Selected Papers of Nathan W. Ackerman*, New York, Brunner/Mazel, p. 153-163.*
- Ackerman N. W., Bloch D., Simon R. (1982), *The Strength of Family Therapy, Selected Papers of Nathan W. Ackerman*, New York, Brunner/Mazel.*
- Adelmann, P. K., Zajonc, R. B. (1989), « Facial efference and the experience of emotion », *Annual Review of Psychology*, 40, p. 249-280.*
- Adler P. A., Adler P. (2011), *The Tender Cut : Inside the Hidden World of Self-Injury*, New York, New York University Press.*
- Akhavan S. (2001), *Comorbidity of Hopelessness Depression with Borderline and Dependent Personality Disorders : Inferential Coping and Anger Expression Styles as Vulnerability Factors*, thèse de doctorat non publiée, Philadelphie, Philadelphia Temple University.*
- Akiskal H. S., Akiskal K. K. (2005), « TEMPS : Temperament evaluation of Memphis, Pisa, Paris and San Diego », *Journal of Affective Disorders*, 85 (1-2), p. 3-16.*
- Alexander N., Clare L. (2004), « You still feel different : The experience and meaning of women's self-injury in the context of a lesbian or bisexual identity », *Journal of Community and Applied Social Psychology*, 14, p. 70-84.*
- American Psychiatric Association (1980), *Diagnostic and Statistical Manual of Mental Disorders : DSM-III*, Washington (DC), APA.*
- American Psychiatric Association (1987), *Diagnostic and Statistical Manual of Mental Disorders : DSM-III-R*, Washington (DC), APA.*
- American Psychiatric Association (1998), *Diagnostic and Statistical Manual of Mental Disorders : DSM-IV*, Washington DC, APA.*
- American Psychiatric Association (2004), *Manuel diagnostique et statistique des troubles mentaux : DSM-IV-TR*, Issy-les-Moulineaux, Masson.*

*American Psychiatric Association (2013), Diagnostic and Statistical Manual of Mental Disorders : DSM-5, Washington (DC), (APA).*

*Amir, N., Beard, C., Taylor, C. T., Klumpp, H., Elias, J., Burns, M., Chen, X. (2009), « Attention training in individuals with generalized social phobia: a randomized controlled trial », Journal of Consulting and Clinical Psychology, 77, p. 961-973.*

*Andersen A. E. (2002), « Eating disorders in males », in Fairburn C. G., Brownell K. D., *Eating Disorders and Obesity, A Comprehensive Handbook*, New York, The Guilford Press, 2<sup>e</sup> édition.*

*Anderson M. C., Levy B. J. (2009), « Suppressing unwanted memories », Current Directions in Psychological Science, 18, p. 189-194.*

*Anderson T. R., Slotkin T. A. (1975), « Maturation of the adrenal medulla-IV, effects of morphine », Biochemical Pharmacology, 24, p. 1469-1474.*

*Andover M. S., Pepper C. M., Gibb B. E. (2007), « Self-mutilation and coping strategies in a college sample », Suicide and Life-Threatening Behavior, 37, p. 238-243.*

*Apfel-Savitz R., Silverman D., Bennett M. I. (1977), « Group psychotherapy of patients with somatic illnesses and alexithymia », Psychotherapy and Psychosomatics, 28, p. 323-329.*

*Arrêté du 1<sup>er</sup> juillet 2013 relatif au référentiel des compétences professionnelles des métiers du professorat et de l'éducation (JO n° 0165 du 18 juillet 2013).*

*Aviram R. B., Hellerstein D. J., Gerson J., Stanley B. (2004), « Adapting supportive psychotherapy for individuals with borderline personality disorder who self-injure or attempt suicide », Journal of Psychiatric Practice, 10, p. 145-155.*

*Baer R. A. (2003), « Mindfulness training as a clinical intervention : A conceptual and empirical review », Clinical Psychology : Science and Practice, 10, p. 125-143.*

*Bagby M. R., Cox B. J., Schuller D. R., Levitt A. J., Swinson R. P., Joffe R. T. (1992), « Diagnostic specificity of the dependent and self-critical personality dimensions in major depression », Journal of Affective Disorder, 26, p. 59-64.*

- Bakermans-Kranenburg M.J., Van Ijzendoorn M. H., Pilzman F. T., Juffer F. (2008), « Experimental evidence for differential susceptibility : dopamine D4 receptor polymorphism (DRD4 VNTR) moderates intervention effects on toddlers' externalizing behavior in a randomized controlled trial », *Developmental Psychology*, 44 (1), p. 293-300.*
- Balık G., Ustüner I., Kagitci M., Sahin F. K. (2014), « Is there a relationship between mood disorders and dysmenorrhea ? », *Journal of Pediatric and Adolescent Gynecology*, 27 (6), p. 371-374.*
- Bandelow B., Schmahl C., Falkai P., Wedekind D. (2010), « Borderline personality disorder : A dysregulation of the endogenous opioid system? », *Psychological Review*, 117 (2), p. 623-636.*
- Bandura A. (1965), « Vicarious processes : A case of no-trial learning », *Advances in Experimental Social Psychology*, 2, p. 1-55.*
- Banyard V. L., Arnold S., Smith J. (2000), « Chilhood sexual abuse and dating experiences of undergraduate women », *Child Matreatment*, 5, p. 39-48.*
- Barbery S. (2006), *Dissocier la dissociation, propositions pour une nomenclature*, mémoire de diplôme universitaire « Stress, traumatisme et pathologies », Paris, Université Paris-VI-Faculté de médecine Pitié-Salpêtrière.*
- Bardone A., Vohs K. D., Abramson L. Y., Heatherton T. F., Joiner T. E. (2000), « The confluence of perfectionism, body dissatisfaction, and low self-esteem predicts bulimic symptoms : Clinical implications », *Behavior Therapy*, 31, p. 265-280.*
- Bates J. E., McFadyen-Ketchum, S. (2000), « Temperament and parent-child relations as interacting factors in children's behavioral adjustment », in Molfese V.J., Molfese D. L., *Temperament and Personality Development Across The Life Span*, Hillsdale (NJ), Erlbaum, p. 141-176.*
- Beacco S., Gay C. (2016), *Mieux contrôler mon trouble bipolaire avec la mindfulness*, Paris, Dunod.*
- Bechara A., Damasio A. R. (2005), « The somatic marker hypothesis : A neural theory of economic decision », *Games and Economic Behavior*, 52, p. 336-372.*

- Beck A. T. (1976), Cognitive Therapy and the Emotional Disorders, New York, Penguin.*
- Beck A. T., Freeman A. (1990), Cognitive Therapy of Personality Disorders, New York, Guilford Press.*
- Beck A. T., Rush J., Shaw B., Emery G. (1979), Cognitive Therapy of Depression, New York, Guilford Press.*
- Beck A. T., Wright F. D. (1993), Cognitive Therapy of Substance Abuse, New York, Guilford Press.*
- Beck, A. T. (1979), Cognitive Therapy and The Emotional Disorders, New York, Meridian Book.*
- Beevers C. G., Meyer B. (2008), « I feel fine but the glass is still half empty : Thought suppression biases information processing despite recovery from a dysphoric mood state », *Cognitive Therapy and Research*, 32, p. 323-332.*
- Bell D. C., Richard A. J, Feltz L. C. (1996), « Mediators of drug treatment outcomes », *Addictive Behaviors*, 21 (5), p. 597-613.*
- Bellighausen L. (2007), L'Identification des émotions, manuscrit non publié, Université Paris-Descartes.*
- Ben Shahar T. (2008), L'Apprentissage du bonheur. Principes, préceptes et rituels pour être heureux, Paris, Belfond.*
- Berenbaum H., James T. (1994), « Correlates and retrospectively reported antecedents of alexithymia », *Psychosomatic Medicine*, 56 (4), p. 353-359.*
- Berenbaum H., Prince J. D. (1994), « Alexithymia and the interpretation of emotion-relevant information », *Cognition and Emotion*, 8, p. 231-244.*
- Beresnevaite M. (1995), Efficacy of alexithymia's correction and its relation with the course of ischaemic heart disease, présenté au Congrès annuel des cardiologues de Lituanie, Kaunas, Lithuanie.*
- Beresnevaite M. (2000), « Exploring the benefits of group psychotherapy in reducing alexithymia in Coronary heart disease patients, a preliminary study », *Psychotherapy and Psychosomatics*, 69 (3), p. 117-22.*
- Bergman D. V. (1951), « Conseling method and client responses », *Journal of Consulting Psychology*, 15 (3), p. 216-224.*

*Bergmann G. H. (1846), « Ein Fall bon religiöser Monomanie, die eine unerhörte Selbstverletzung veranlasste », Allgemeine Zeitschrift für Psychiatrie und Psychisch-gerichtliche Medizin, 3, p. 365-380.*

*Bermond B., Vorst H. C., Vingerhoets A. J., Gerritsen W. (1999), « The Amsterdam Alexithymia Scale, its psychometric values and correlations with other personality traits », Psychotherapy and Psychosomatics, 68, p. 241-251.*

*Bertolino A., Arciero G., Rubino V., Latorre V., De Candia M., Mazzola V. (2005), « Variation of human amygdala response during threatening stimuli as a function of 5-HTTLPR genotype and personality style », Biological Psychiatry, 57 (12), p. 1517-1525.*

*Bishop S. R. (2004), « Mindfulness : A proposed operational definition », Clinical Psychology : Science and Practice, 11, p. 230-241.*

*Blake B. L., Muehlmann A. M., Egami K., Breese G. R., Devine D. P., Jinnah H. A. (2007), « Nifedipine suppresses self-injurious behaviors in animals », Developmental Neuroscience, 29 (3), p. 241-250.*

*Blandon A. Y., Calkins S. D., Keane S. P., O'Brien M. (2008), « Individual Differences in trajectories of emotion regulation processes : The effects of maternal depressive symptomatology and children's physiological regulation », Developmental Psychology, 44, p. 1110-1123.*

*Blankaart S. (1708), The Physical Dictionary, Londres, Crouchand, Sprint.*

*Blasco-Fontecilla H., Fernández-Fernández R., Colino L., Fajardo L., Perteguer-Barrio R., Leon J. de (2016), « The addictive model of self-harming (non-suicidal and suicidal) behavior », Frontiers in Psychiatry, 7, p. 8.*

*Bögels, S. M. (2006), « Task concentration training versus applied relaxation, in combination with cognitive therapy, for social phobia patients with fear of blushing, trembling, and sweating », Behaviour Research and Therapy, 44, p. 1199-1210.*

*Boon S., Steele K., Van der Hart O. (2014), Gérer la dissociation liée aux traumatismes. Exercices pratiques pour patients et thérapeutes, Bruxelles, De Boeck.*

- Borkovec T. D., Inz J. (1990), « The nature of worry in generalized anxiety disorder : A predominance of thought activity », *Behaviour Research and Therapy*, 28, p. 153-158.*
- Bourgault R. (2013), « Le trauma vicariant », in M. Kédia et al., *Aide-mémoire de psychotraumatologie*, Paris, Dunod.*
- Bourke M. P., Taylor G. J., Parker J. D., Bagby R. M. (1992), « Alexithymia in women with anorexia nervosa. A preliminary investigation », *British Journal of Psychiatry*, 161, p. 240-243.*
- Bouvard M. (2009), *Questionnaires et échelles d'évaluation de la personnalité*, Paris, Masson, 3<sup>e</sup> édition.*
- Bouvet V. (2010), *Alcoolologie : abstinence ou consommation contrôlée ? Quel choix, pour quel patient ?*, thèse de psychologie, Université Lille-III.*
- Bowen S., Chawla N., Marlatt G. A. (2011), *Mindfulness-Based Relapse Prevention for Addictive Behaviors. A Clinician's Guide*, New York, The Guilford Press.*
- Bowlby J. (1980), *Attachment and Loss*, New York, Basic Books.*
- Bermond B., Vorst H. C. M. Luinet O. et al. [1998], *Validity and Reliability of Bremont-Vorst Alexithymia Questionnaire*, texte non publié.*
- Brice J., Gil E. (1998), « Self-mutilation in clinical and general population samples : Prevalence, correlates, and functions », *American Journal of Orthopsychiatry*, 68, p. 609-620.*
- Briere J., Gil E. (1998), « Self-mutilation in clinical and general population samples : Prevalence, correlates, and functions », *American Journal of Orthopsychiatry*, 64, p. 609-620.*
- Brossard B. (2014), *Se blesser soi-même*, Paris, Alma Éditeur.*
- Brown M. Z., Comtois K. A., Linehan M. M. (2002), « Reasons for suicide attempts and non-suicidal self-injury in women with borderline personality disorder », *Journal of Abnormal Psychology*, 111, p. 198-202.*
- Brown S. M., Hariri A. R. (2006), « Neuroimaging studies of serotonin gene polymorphisms : Exploring the interplay of genes, brain, and behavior », *Cognitive, Affective and Behavioral Neuroscience*, 6, p. 44-52.*

- Brusset B. (1998), Psychopathologie de l'anorexie mentale, Paris, Dunod.*
- Buchanan D. C., Waterhouse G. J., West S. C. (1980), « A proposed neurophysiological basis of alexithymia », *Psychotherapy and Psychosomatics*, 34, p. 248-255.*
- Bulik C. M., Slof-Op't Landt M. C., van Furth E. F., Sullivan P. F. (2007), « The genetics of anorexia nervosa », *Annual Review of Nutrition*, 27, p. 263-275.*
- Burke T. A., Hamilton J. L., Abramson L. Y., Alloy L. B. (2015), « Non-suicidal self-injury prospectively predicts interpersonal stressful life events and depressive symptoms among adolescent girls », *Psychiatry Research*, 228 (3), p. 416-424.*
- Bydlowski S. (2001), Niveaux de conscience émotionnelle dans les troubles des conduites alimentaires, étude comparative, DEA de psychopathologie et neurobiologie du développement et des comportements, Université Paris-XI.*
- Cahn B. R., Polich J. (2006), « Meditation states and traits : EEG, ERP, and neuroimaging studies », *Psychologic Bulletin*, 132, p. 180-211.*
- Campbell R. S., Pennebaker J. W. (2003), « The secret life of pronouns : Flexibility in writing style and physical health », *Psychological Science*, 14, p. 60-65.*
- Campbell-Sills L., Barlow D. H., Brown T. A., Hofmann S. G. (2006), « Acceptability and suppression of negative emotion in anxiety and mood disorders », *Emotion*, 6, p. 587-595.*
- Carraz J. (2009), Anorexie et boulimie : approche dialectique, Paris, Masson.*
- Caspi A., Hariri A. R., Holmes A., Uher R., Moffitt, T. E. (2010), « Genetic sensitivity to the environment : The case of the serotonin transporter gene and its implications for studying complex diseases and traits », *American Journal of Psychiatry*, 167, p. 509-527.*
- Caspi A., Roberts B. W. (2001), « Personality development across the life course : The argument for change and continuity », *Psychological Inquiry*, 12, p. 49-66.*
- Caspi A., Sugden K., Moffitt T. E., Taylor A., Craig I. W., Harrington H., McClay J., Mill J., Martin J., Braithwaite A. (2003), « Influence of life stress on depression : Moderation by a polymorphism in the 5-HTT Gene », *Science*,*

301 (5631),  
p. 386-389.

*Castille K., Prout M., Marcyk G., Schmidheiser M., Yoder S., Howlett B. (2007), « The early maladaptive schemas of self-mutilators : Implications for therapy », Journal of Cognitive Psychotherapy, 21, p. 58-71.*

*Chandler A. (2012), « Self-Injury as embodied emotion work : Managing rationality, emotions and bodies », Sociology, 46 (3), p. 442-457.*

*Chandler A. (2016), Self-Injury, Medicine and Society : Authentic Bodies, Londres, Palgrave Macmillan.*

*Chapman A. L., Gratz K. L., Brown M. Z. (2006), « Solving the puzzle of deliberate self-harm : the experiential avoidance model », Behaviour Research and Therapy, 44 (3), p. 371-394.*

*Chiesa A., Serretti A. (2010), « A systematic review of neurobiological and clinical features of mindfulness meditations », Psychological Medicine, 40, p. 1239-1252.*

*Choquet M, Pommereau X, Lagadic C. (2001), Les Élèves à l'infirmérie scolaire : identification et orientation des jeunes à haut risque suicidaire, Paris, Éditions Inserm.*

*Cirillo P. C., Passos R. B., Bevilaqua M. C., López J. R., Nardi A. E. (2012), « Bipolar disorder and Premenstrual Syndrome or Premenstrual Dysphoric Disorder comorbidity : A systematic review », Revista Brasileira Psiquiatria, 34 (4), p. 467-479.*

*Claes L., Vandereycken W., Vertommen H. (2005), « Self-care versus self-harm : Piercing, tattooing, and self-injuring in eating disorders », European Eating Disorders Review, 13, p. 11-18.*

*Clark D. M., Wells A. (1995), A cognitive model of social phobia, in Heimberg R. G., Liebowitz M. R., Hope D. A., Schneier F. R., Social Phobia : Diagnosis, Assessment and Treatment, New York, Guilford Press, p. 69-93.*

*Clarke L., Whittaker M. (1998), « Self-Mutilation : Culture, contexts and nursing responses », Journal of Clinical Nursing, 7, p. 129-137.*

- Cloitre M., Cohen L., Koenen K. (2006), Treating Survivors of Childhood Abuse : Psychotherapy for the Interrupted Life, New York, Guilford Press.*
- Cloitre M., Cohen L., Koenen K. (2014), Traiter les victimes de maltraitance infantile : psychothérapie de l'existence interrompue, Paris, Dunod.*
- Cloninger C. R. (1986), « A unified biosocial theory of personality and its role in the development of anxiety states », *Psychiatric Development*, 4, p. 167-226.*
- Coccaro E. F. (2012), « What is the nature of serotonergic abnormalities in human aggression ? », *Biological Psychiatry*, 72 (12), p. 980-981.*
- Coccaro E. F., Fanning J. R., Phan K. L., Lee R. (2015), « Serotonin and impulsive aggression », *CNS Spectrums*, 20 (3), p. 295-302.*
- Coccaro E. F., Lee R., Kavoussi R. J. (2010), « Aggression, suicidality, and intermittent explosive disorder : Sserotonergic correlates in personality disorder and healthy control subjects », *Neuropsychopharmacology*, 35 (2), p. 435-444.*
- Coccaro E. F., Lee R., Vezina P. (2013), « Cerebrospinal fluid glutamate concentration correlates with impulsive aggression in human subjects », *Journal of Psychiatry Research*, 47 (9), p. 1247-1253.*
- Cochrane C. E., Brewerton T. D., Wilson D. B., Hodges E. L. (1993), « Alexithymia in the eating disorders », *International Journal of Eating Disorders*, 14 (2), p. 219-222.*
- Coid J., Allolio B., Rees L. H. (1983), « Raised plasma metenkephalin in patients who habitually mutilate themselves », *Lancet*, 2, p. 545-546.*
- Connors R. E. (2000), Self-injury : Psychotherapy with People who Engage in Self-Inflicted Violence, Northvale, Jason Aronson.*
- Conterio K., Lader W. (1998), Bodily Harm : The Breakthrough Healing Program for Self-Injurers, New York, Hyperion Press.*
- Cook S., Doyen C. (2008), 50 exercices pour sortir de l'anorexie, Paris, Odile Jacob.*
- Coons P., Milstein V. (1990), « Self-mutilations associated with dissociative disorders », *Dissociation*, 3 (2), p. 81-87.*
- Corcos M. (2002), « Troubles des conduites alimentaires à l'adolescence », *Encyclopédie médico-chirurgicale*, Paris, Elsevier.*

- Corcos M., Speranza M. (2003), Psychopathologie de l'alexithymie, Paris, Dunod.*
- Courtet P., Picot M. C., Bellivier F., Torres S., Jollant F., Michelon C., Castelnau D., Astruc B., Buresi C., Malafosse, A. (2004), « Serotonin transporter gene may be involved in short-term risk of subsequent suicide attempts », *Biological Psychiatry*, 55, p. 46-51.*
- Crapper L., Ernst C. (2015), « Comparative analysis of self-injury in people with psychopathology or neurodevelopmental disorders », *Pediatric Clinics of North America*, 62 (3), p. 619-631.*
- Cyrulnik B. et al. (2000), Ces enfants qui tiennent le coup, Paris, Hommes et perspectives.*
- D'Onofrio A. A. (2007), Adolescent Self-injury : A Comprehensive Guide For Counselors and Health Care Professionals, New York, Springer.*
- Da Costa M., Halmi K. A (1992), « Classifications of anorexia nervosa : Question of subtypes », *International Journal of Eating Disorders*, 11 (4), p. 305-313.*
- Dahl J., Wilson K. G., Nilsson A. (2004), « Acceptance and commitment therapy and the treatment of persons at risk for long-term disability resulting from stress and pain symptoms : A preliminary randomized trial », *Behavior Therapy*, 35, p. 785-801.*
- Davidson R. J., Kabat-Zinn J., Schumacher J., Rosenkranz M., Muller D., Santorelli S. F., Urbanowski F., Harrington A., Bonus K., Sheridan J. F. (2003), « Alterations in brain and immune function produced by mindfulness meditation », *Psychosomatic Medicine*, 65, p. 564-570.*
- Debats D. L. (1996), « Meaning in life : Clinical relevance and predictive power », *British Journal of Clinical Psychology*, 35 (4), p. 503-516.*
- Deering C., Glover S., Ready D., Eddleman H., Alarcon R. (1996), « Unique patterns of comorbidity in posttraumatic stress disorder from different sources of trauma », *Comprehensive Psychiatry*, 37, p. 336-346.*
- DeLeo D., Heller T. S. (2004), « Who are kids who self-harm ? An Australian self-report school Survey », *Medical Journal of Australia*, 181, p. 140-144.*
- Deliberto T. L., Nock M. K. (2008), « Exploratory study of the correlates, onset, and offset, of non-suicidal self-injury », *Archives of Suicide Research*, 12, p. 219-231.*

- Deutsch H. (1942), « Some forms of emotionnal disturbance and their relationship to schizophrenia », *Psychoanalytic Quarterly*, 11, p. 301-321.*
- DGPPN, BÄK, KBV, AWMF, AkdÄ, BPtK, BAkP, DAGSHG, DEGAM, DGPM, DGPs, DGRW (dir.) for the Guideline Group Unipolar Depression (2009), S3-Guideline/National Disease Management Guideline Unipolar Depression. Short Version, Berlin, Düsseldorf, DGPPN, ÄZQ, AWMF.*
- Donovan S., Clayton A., Beeharry M., Jones S., Kirk C., Waters K., Gardner D., Faulding J., Madeley R. (2000), « Deliberate self-harm and antidepressant drugs. Investigation of a possible link », *British Journal of Psychiatry*, 177, p. 551-556.*
- Dougherty D. M., Mathias C. W. Marsch-Richard D. M., Prevette K. N., Dawes M. A., Hatzis E. S., Nouvion S. (2009), « Impulsivity and clinical symptoms among adolescents with non-suicidal self-injury with or without attempted suicide », *Psychiatry Research*, 169, p. 22-27.*
- Douilliez C., Philippot P. (2012), « Pensées répétitives constructives et non constructives chez les perfectionnistes inadaptés », *Journal de thérapie comportementale et cognitive*, 22, p. 68-74.*
- Ducasse D., Jaussent I., Olié É., Guillaume S., Lopez-Castroman J., Courtet P. (2016), « Personality traits of suicidality are associated with Premenstrual Syndrome and Premenstrual Dysphoric Disorder in a suicidal women sample », *PLoS One*, 11 (2).*
- Dupont H. (2002), *Évaluation dimensionnelle de l'impulsivité dans le trouble obsessionnel-compulsif*, thèse de doctorat non publiée, Université Lyon-II.*
- Ehring T., Fischer S., Schnüller J., Bösterling A., Tuschen-Caffier B. (2008), « Characteristics of emotion regulation in recovered depressed versus never depressed individuals », *Personality and Individual Differences*, 44 (7), p. 1574-1584.*
- Ellis A. (1974), *Disrupting Irrational Beliefs (DIBS)*, New York, Institute for Rational Living.*
- Esposito-Smythers C., Goldstein T., Birmaher B., Goldstein B., Hunt J., Ryan N., Axelson D., Strober M., Gill M. K., Hanley A., Keller M. (2010), « Clinical and psychosocial correlates of non-suicidal self-injury within a sample of*

- children and adolescents with bipolar disorder », Journal of Affective Disorders, 125 (1-3), p. 89-97.*
- Essex M.J., Klein M. H., Cho E., Kalin, N. H. (2002), « Maternal stress beginning in infancy may sensitize children to later stress exposure : Effects on cortisol and behaviour », Biological Psychiatry, 52, p. 776-784.*
- Evans J., Evans M., Morgan H. G., Hayward A., Gunnell D. (2005), « Crisis card following self-harm : 12 month follow-up of a randomized controlled trial », British Journal of Psychiatry, 187, p. 186-187.*
- Farb N. A. S., Segal Z. V., Mayberg H., Bean J., McKeon D., Fatima Z., Anderson A. K. (2007), « Attending to the present : Mindfulness meditation reveals distinct neural modes of self-reference », Social, Cognitive and Affective Neuroscience, 2, p. 313-322.*
- Favaro A., Ferrara S., Santonastaso P. (2004), « Impulsive and compulsive self-injurious behavior and eating disorders : An epidemiological study », in Levitt J. L., Sansone R. A., Cohn L., Self-Harm Behavior and Eating Disorders : Dynamics, Assessment, and Treatment, New York, Brunner-Routledge, p. 31-43.*
- Favaro A., Santonastaso P. (1998), « Impulsive and compulsive self-injurious behavior in bulimia nervosa : Prevalence and psychological correlates », The Journal of Nervous and Mental Disease, 186, p. 157-165.*
- Favaro A., Santonastaso P. (1999), « Different types of self-injurious behavior in bulimia nervosa », Comprehensive Psychiatry, 40 (1), p. 57-60.*
- Favaro A., Santonastaso P. (2000), « Self-injurious behavior in anorexia nervosa », The Journal of Nervous and Mental Disease, 188, p. 537-542.*
- Favazza A. (1996), Bodies Under Siege : Self-Mutilation and Body Modification in Culture and Psychiatry, Baltimore, Johns Hopkins University Press, 2<sup>e</sup> édition.*
- Favazza A. R. (1989), « Why patients mutilate themselves », Hospital and Community Psychiatry, 40, p. 137-145.*
- Favazza A. R., Conterio K. (1988), « The plight of chronic self-mutilators », Community Mental Health Journal, 24, p. 22-30.*

- Favazza A. R., DeRosear L., Conterio K. (1989), « Self-mutilation and eating disorders », *Suicide and Life Threatening Behavior*, 19, p. 352-361.*
- Favazza A. R., Favazza B. (1987), *Bodies Under Siege. Self-Mutilation in Culture and Psychiatry*, Baltimore, Johns Hopkins University Press.*
- Favazza A. R., Rosenthal R.J. (1993), « Diagnostic issues in self-mutilation », *Hospital and Community Psychiatry*, 44, p. 134-140.*
- Faye P. (1995), « Addictive characteristics of the behavior of self-mutilation », *Journal of Psychosocial Nursing and Mental Health Services*, 33, p. 36-39.*
- Fedorowicz V.J., Falissard B., Foulon C., Dardennes R. (2007), « Factors associated with suicidal behaviors in a large French sample of inpatients with eating disorders », *International Journal of Eating Disorders*, 40, p. 589-595.*
- Finzi E., Wasserman E. (2006), « Treatment of depression with botulinum toxin A : A case series », *Dermatologic Surgery*, 32, p. 645-650.*
- Fonagy P., Gergely G., Jurist E., Target M. (2002), *Affect Regulation, Mentalization, and the Development of Self*, New York, Other Press.*
- Fonseka T. M., Swampillai B., Timmins V., Scavone A., Mitchell R., Collinger K. A., Goldstein B. I. (2015), « Significance of borderline personality-spectrum symptoms among adolescents with bipolar disorder », *Journal of Affective Disorders*, 170, p. 39-45.*
- Fox E., Ridgewell A., Ashwin C. (2009), « Looking on the bright side : Biased attention and the human serotonin transporter gene », *Proceedings of the Royal Society : Biological Sciences*, 276, p. 1747-1751.*
- Fredrickson B. L. (1998), « What good are positive emotions ? », *Review of General Psychology*, 2, p. 300-319.*
- Fredrickson B. L. (2001), « The role of positive emotions in positive psychology. The Broaden-and-Build theory of positive emotions », *American Psychologist*, 56, p. 218-226.*
- Fredrickson B. L. et al. (2008), « Open hearts build lives : Positive emotions, induced through loving-kindness meditation, build consequential personal resources », *Journal of Personality and Social Psychology*, 95, p. 1045-1062.*

- Freyberger H. (1977), « Supportive psychotherapeutic techniques in primary and secondary alexithymia », *Psychotherapy and Psychosomatics*, 28, p. 337-342.*
- Froeschle J., Moyer M. (2004), « Just cut it out : Legal and ethical challenges in counseling students who self-mutilate », *Professional School Counseling*, 7, p. 231-236.*
- Fukunishi I., Sei H., Morita Y., Rahe R. H. (1999), « Sympathetic activity in alexithymics with mother's low care », *Journal of Psychosomatic Research*, 46 (6), p. 579-589.*
- Garnefski N., Kraaij V., Spinhoven P. (2001), « Negative life events, cognitive emotion regulation and emotional problems », *Personality and Individual Differences*, 30, p. 1311-1327.*
- Gicquel L., Corcos M. (2011), *Les Automutilations à l'adolescence*, Paris, Dunod.*
- Giese-Davis J., Koopman C., Butler L. D., Classen C., Cordova M., Fobair P., Benson J., Kraemer H. C., Spiegel, D. (2002), « Change in emotion-regulation strategy for women with metastatic breast cancer following supportive-expressive group therapy », *Journal of Consulting and Clinical Psychology*, 70, p. 916-925.*
- Glassman L. H., Weierich M. R., Hooley J. H., Deliberto T. L., Nock M. K. (2007), « Child maltreatment, non-suicidal self-injury, and the mediating role of self-criticism », *Behavior Research and Therapy*, 45, p. 2483-2490.*
- Glenn C. R., Klonsky E. D. (2009), « Social context during nonsuicidal self-injury indicates suicide risk », *Personality and Individual Differences*, 46, p. 25-29.*
- Glenn C. R., Klonsky E. D. (2010), « A multimethod analysis of impulsivity in non-suicidal self-injury », *Personality Disorders : Theory, Research, and Treatment*, 1 (1), p. 67-75.*
- Glenn C. R., Klonsky E. D. (2011), « Prospective prediction of nonsuicidal self-injury : A one-year longitudinal study in young adults », *Behavior Therapy*, 42 (4), p. 751-762.*

- Goddard L., Dritschel B., Burton A. (2001), « The effects of specific retrieval instruction on social problem-solving in depression », *British Journal of Clinical Psychology*, 40, p. 297-308.*
- Gothard S., Conroy-Stocker M. (2005), *Adolescent Self-Harm and Suicidal Behavior. A Guide for Schools*, Wiltshire Educational Psychology Service.*
- Grant J. E., Correia S., Brennan-Krohn T., Malloy P. F., Laidlaw D. H., Schulz S. C. (2007), « Frontal white matter integrity in borderline personality disorder with self-injurious behavior », *Journal of Neuropsychiatry & Clinical Neurosciences*, 19 (4), p. 383-390.*
- Gratz K. L. (2001), « Measurement of deliberate self-harm : preliminary data on the deliberate self-harm inventory », *Journal of Psychopathology and Behavioral Assessment*, 23, p. 253-263.*
- Gratz K. L. (2006), « Risk factors for deliberate self-harm among female college students : The role and interaction of childhood maltreatment, emotional inexpressivity, and affect intensity/reactivity », *American Journal of Orthopsychiatry*, 76, p. 238-250.*
- Gratz K. L., Dixon-Gordon K. L., Chapman A. L., Tull M. T. (2015), « Diagnosis and characterization of DSM-5 nonsuicidal self-injury disorder using the clinician-administered nonsuicidal self-injury disorder index », *Assessment*, 22 (5), p. 527-539.*
- Gratz K. L., Roemer L. (2008), « The relationship between emotion dysregulation and deliberate self-harm among female undergraduate students at an urban commuter university », *Cognitive Behavior Therapy*, 37, p. 14-25.*
- Graziani P., Romo L. (2013), *Soigner les addictions par les TCC*, Paris, Masson.*
- Greenberg L. S., Watson J. C. (2006), *Emotion-Focused Therapy for Depression*, Washington (DC), APA.*
- Gross J. J. (1998a), « The emerging field of emotion regulation : An integrative review », *Review of General Psychology*, 2, p. 271-299.*
- Gross J. J. (1998b), « Antecedent and response-focused emotion regulation : Divergent consequences for experience, expression, and physiology », *Journal of Personality and Social Psychology*, 74, p. 224-237.*

- Gross J. J. (2014), Handbook of Emotion Regulation, New York, The Guilford Press.*
- Gross J. J., Muñoz R. F. (1995), « Emotion regulation and mental health », Clinical Psychology : Science and Practice, 2 (2), p. 151-164.*
- Groot J. M. de, Rodin G., Olmsted M. P. (1995), « Alexithymia, depression, and treatment outcome in bulimia-nervosa », Comprehensive Psychiatry, 36, p. 53-60.*
- Gruenewald T. L., Kemeny M. E., Aziz N., Fahey J. L. (2004), « Acute threat to the social self : Shame, social self-esteem, and cortisol activity », Psychosomatic Medicine, 66, p. 915-924.*
- Grunebaum H. U., Klerman G. L. (1967), « Wrist slashing », American Journal of Psychiatry, 124, p. 527-534.*
- Guerry J. D., Prinstein M. J. (2010), « Longitudinal prediction of adolescent non-suicidal self-injury : Examination of a cognitive vulnerability-stress model », Journal of Clinical Child and Adolescent Psychology, 39, p. 1-13.*
- Guertin T., Lloyd-Richardson E., Spirito A. (2001), « Self-mutilative behavior in adolescents who attempt suicide by overdose », Journal of the American Academy of Child and Adolescent Psychiatry, 40, p. 1062-1069.*
- Gunderson J. G. et al. (1981), « The diagnostic interview for borderline patients », Am. J. Psychiatry, 138 (7), p. 896-903.*
- Gunderson J. G. (1984), Borderline Personality Disorder, Washington (DC), APA.*
- Hahusseau S. (2018), Comment ne plus subir. Se déconditionner du passé, Paris, Odile Jacob.*
- Halkides G. (1958), An Investigation of Therapeutic Success as a Function ff Four Therapist Variables, thèse de doctorat, Université de Chicago.*
- Hamachek D. E. (1978), « Psychodynamics of normal and neurotic perfectionism », Psychological Journal of Human Behaviour, 15, p. 27-33.*
- Hantouche É. (2010), La Bipolarité a une enfance souvent négligée : tempéraments et schémas de vie, conférence Argos du 16 décembre 2010, Paris, France.*
- Hantouche É. (2014), Les Tempéraments affectifs. L'architecture naturelle de nos émotions, Paris, Josette Lyon.*

*Hantouche É., Fink C., Kraynak J. (2017), Les Troubles bipolaires pour les nuls, Paris, First.*

*Hantouche É., Houyvet B., Majdalani C. (2007, 2012), Cyclothymie, troubles bipolaires des enfants et adolescents au quotidien, Paris, Josette Lyon.*

*Hantouche É., Majdalani C., Blain R. (2012), J'apprends à gérer ma cyclothymie. Méthode pratique, Paris, Josette Lyon.*

*Hantouche É., Trybou, V. (2009), Soigner sa cyclothymie. Sept clés pour retrouver le contrôle de soi, Paris, Odile Jacob.*

*Hantouche É., Trybou V. (2011), Vivre heureux avec des hauts et des bas, Paris, Odile Jacob.*

*Harris R. (2015), Se libérer avec l'ACT. Surmonter les principaux obstacles dans la thérapie d'acceptation et d'engagement, Bruxelles, De Boeck.*

*Haviland M. G., Hendryx M. S., Cummings M. A., Shaw D. G., MacMurray J. P. (1991), « Multi-dimensionality and state dependency of alexithymia in recently sober alcoholics », *Journal of Nervous and Mental Disease*, 179, p. 284-290.*

*Haviland M. G., Hendryx M. S., Shaw D. G., Henry J. P. (1994), « Alexithymia in women and men hospitalized for psychoactive substance dependence », *Comprehensive Psychiatry*, 35 (2), p. 124-128.*

*Haviland M. G., MacMurray J. P., Cummings M. A. (1988a), « The relationship between alexithymia and depressive symptoms in a sample of newly abstinent alcoholic inpatients », *Psychotherapy and Psychosomatics*, 49, p. 37-40.*

*Haviland M. G., Shaw D. G., MacMurray J. P., Cummings M. A. (1988b), « Validation of the TAS with the substance abusers », *Psychotherapy and Psychosomatics*, 50, p. 81-87.*

*Haviland M. G., Shaw D. G., Cummings M. A., MacMurray J. P. (1988c), « Alexithymia, subscales and relationship to depression », *Psychotherapy and Psychosomatics*, 50, p. 164-170.*

*Hawton K., Sutton L., Haw C., Sinclair J., Harriss L. (2005), « Suicide and attempted suicide in bipolar disorder : A systemic review of risk factors », *Journal of Clinical Psychiatry*, 66, p. 693-704.*

- Hayes J. F., Pitman A., Marston L., Walters K., Geddes J. R., King M., Osborn D. P. (2016), « Self-harm, unintentional injury and suicide in bipolar disorder during maintenance mood stabilizer treatment. A UK population-based electronic health records study », *JAMA Psychiatry*, 73 (6), p. 630-637.*
- Hayes S. C., Smith S. (2013), *Penser moins pour être heureux. Ici et maintenant, accepter son passé, ses peurs et sa tristesse*, Paris, Eyrolles.*
- Hayes S. C., Strosahl K. D., Wilson K. G., Bissett R. T., Pistorello J., Toarmino D. (2004), « Measuring experiential avoidance : A preliminary test of a working model », *The Psychological Record*, 54, p. 553-578.*
- Heath N., Toste J., Nedecheva T., Charlebois A. (2008), « An examination of nonsuicidal self-injury among college students », *Journal of Mental Health Counseling*, 30 (2), p. 137-156.*
- Heim C., Nemeroff C. B. (2001), « The role of childhood trauma in the neurobiology of mood and anxiety disorders : Preclinical and clinical studies », *Biological Psychiatry*, 49, p. 1023-1039.*
- Heinz A., Braus D. F., Smolka M. N., Wräse J., Puls I., Hermann D. (2005), « Amygdala-prefrontal coupling depends on a genetic variation of the serotonin transporter », *Nature Neuroscience*, 8 (1), p. 20-21.*
- Herman J., Van der Kolk B. (1987), « Traumatic antecedents of borderline personality disorder », in Van der Kolk B., *Psychological Trauma*, Washington (DC), APA, p. 111-126.*
- Herpertz S. (1995), « Self-injurious behaviour. Psychopathological and nosological characteristics in subtypes of self-injurers », *Acta Psychiatrica Scandinavica*, 91, p. 57-68.*
- Herpertz S., Sass H., Favazza A. (1997), « Impulsivity in self-mutilate behavior : Psychometric and biological findings », *Journal of Psychiatric Research*, 31, p. 451-65.*

- Ho M. Y., Cheung F. M., Cheung S. F. (2010), « The role of meaning in life and optimism in promoting well-being », *Personality and Individual Differences*, 48, p. 658-663.*
- Hochschild A. R. (1979), « Emotion work, feeling rules, and social structure », *American Journal of Sociology*, 85 (3), p. 551-575.*
- Hoff E. R., Muehlenkamp J. J. (2009), « Nonsuicidal self-injury in college students : The role of perfectionism and rumination », *Suicide and Life-Threatening Behavior*, 39, p. 576-587.*
- Hollender M. H. (1965), « Perfectionism », *Comprehensive Psychiatry*, 6, p. 94-103.*
- Holmes E. A., Arntz A., Smucker M. R. (2007), « Imagery rescripting in cognitive behaviour therapy : Images, treatment techniques and outcomes », *Journal of Behavior Therapy and Experimental Psychiatry*, 38, p. 297-305.*
- Hölzel B. K., Carmody J., Evans K. C., Hoge E. A., Dusek J. A., Morgan L., Pitman R. K., Lazar S. W. (2010), « Stress reduction correlates with structural changes in the amygdala », *Social Cognitive and Affective Neuroscience*, 5, p. 11-17.*
- Hölzel B. K., Carmody J., Vangel M., Congleton C., Yerramsetti S. M., Gard T., Lazar S. W. (2011), « Mindfulness practice leads to increases in regional brain gray matter density », *Psychiatry Research*, 191, p. 36-43.*
- Hölzel B. K., Ott U., Gard T., Hempel H., Weygandt M., Morgen K., Vaitl D. (2008), « Investigation of mindfulness meditation practitioners with voxel-based morphometry », *Social Cognitive and Affective Neuroscience*, 3, p. 55-61.*
- Hoppe K. D., Bogen J. E. (1977), « Alexithymia in twelve commissurotomized patients », *Psychotherapy and Psychosomatics*, 28, p. 145-155.*
- Horvath A. O. et al. (2011), « Alliance in individual psychotherapy », in Norcross J., *Psychotherapy Relationship that Work*, New York, Oxford University Press, 2<sup>e</sup> édition, p. 25-91.*
- Howat S., Davidson K. (2002), « Parasuicidal behavior and interpersonal problem solving performance in older adults », *British Journal of Clinical Psychology*, 41, p. 375-386.*
- Hoyt M. A. (2009), « Gender role conflict and emotional approach coping in men with cancer », *Psychology and Health*, 24, p. 981-996.*

*Inder M. L., Crowe M. T., Luty S. E., Carter J. D., Moor S., Frampton C. M., Joyce P. R. (2016), « Prospective rates of suicide attempts and non-suicidal self-injury by young people with bipolar disorder participating in a psychotherapy study », Australian & New Zealand Journal of Psychiatry, 50 (2), p. 167-173.*

*Ito Y., Teicher M. H., Glod C. A., Ackerman E. (1998), « Preliminary evidence for aberrant cortical development in abused children, a quantitative EEG study », Journal of Neuropsychiatry and Clinical Neuroscience, 10, p. 298-307.*

*Izutsu T., Shimotsu S., Matsumoto T., Okada T., Kikuchi A., Kojimoto M. et al. (2006), « Deliberate self-harm and childhood hyperactivity in junior high school students », European Child and Adolescent Psychiatry, 14, p. 1-5.*

*Jacobson E. (1987), « Progressive relaxation », The American Journal of Psychology, 100, p. 522-537.*

*Jaffe M., Gullone E., Hughes E. K. (2010), « The roles of temperamental dispositions and perceived parenting behaviours in the use of two emotion regulation strategies in late childhood », Journal of Applied Developmental Psychology, 31, p. 47-59.*

*James W. (1995), The Principles of Psychology, volume 2, New York, Dover.*

*Janet P. (1889), L'Automatisme psychologique, Paris, Félix Alcan, réédition de 2005, Paris, L'Harmattan.*

*Jang K. L., Livesley W. J., Vernon P. A. (1996), « Heritability of the big five personality dimensions and their facets : A twin study », Journal of Personality, 64, p. 577-591.*

*Jeammet P. (2009), Paradoxes et dépendance à l'adolescence, Ministère de la Communauté française, Bruxelles, Yapaka, « Temps d'arrêt ».*

*Jeammet P. (1989), « Psychopathologie des troubles des conduites alimentaires à l'adolescence. Valeur heuristique du concept de dépendance », Confrontations psychiatriques, 31, p. 179-202.*

*Jentsch J. D., Ashenhurst J. R., Cervantes M. C., Groman S. M., James A. S., Pennington Z. T. (2014), « Dissecting impulsivity and its relationships to*

- drug addictions », Annals of the New York Academy of Sciences, 1327, p. 1-26.*
- Jimerson D. C., Wolfe B. E., Franko D. L., Covino N. A., Sifneos P. E. (1994), « Alexithymia ratings in bulimia nervosa : Clinical correlates », Psychosomatic Medicine, 56 (2), p. 90-93.*
- Joyce P. R., Light K. J., Rowe S. L., Cloninger C. R., Kennedy M. A. (2010), « Self-mutilation and suicide attempts : Relationships to bipolar disorder, borderline personality disorder, temperament and character », Australian & New Zealand Journal of Psychiatry, 44 (3), p. 250-257.*
- Kabat-Zinn J. (1990), Full Catastrophe Living : Using The Wisdom of Your Body and Mind to Face Stress, Pain, and Illness, New York, Bantam Books.*
- Kagan F. (2003), Differentiating Depression : A Qualitative Analysis of the Depressive Themes Within 36 Case Studies, thèse non publiée, Toronto, York University.*
- Kagan J., Reznick J. S., Snidman N. (1988), « Biological bases of childhood shyness », Science, 240 (4849), p. 167-171.*
- Karekla M., Forsyth J. P., Kelly M. M. (2004), « Emotional avoidance and panicogenic responding to a biological challenge procedure », Behavior Therapy, 35, p. 725-746.*
- Kashdan T. B., Rottenberg J. (2010), « Psychological flexibility as a fundamental aspect of health », Clinical Psychology Review, 30, p. 865-878.*
- Kasim S., Jinnah H. A. (2003), « Self-biting induced by activation of L-type calcium channels in mice : Dopaminergic influences », Developmental Neurosciences, 25 (1), p. 20-25.*
- Kédia M. (2012), « Dissociation et troubles psychotraumatiques », in Kédia M. et al., Dissociation et mémoire traumatisante, Paris, Dunod.*
- Kédia M. (2013), « L'alexithymie », in Kédia M. et al., Aide-mémoire de psychotrauma-tologie, Paris, Dunod.*
- Kehrer C. A., Linehan M. M. (1996), « Interpersonal and emotional problem solving skills and parasuicide among women with borderline personality disorder », Journal of Personality Disorders, 10, p. 153-163.*

- Keltner D., Kring A. M. (1998), « Emotion, social function, and psychopathology », Review of General Psychology, 2, p. 320-342.*
- Kennedy-Moore E., Watson J. C. (1999), Expression Emotion, New York, Guilford Press.*
- Kernberg O. F. (1997), Les Troubles limites de la personnalité, Paris, Dunod.*
- Kessler R., Sonnega A., Bromet E., Hughes M., Nelson C. (1995), « Posttraumatic stress disorder in the national comorbidity survey », Archives of General Psychiatry, 52, p. 1048-1060.*
- Keuthen N.J., Sprich S. E. (2012), « Utilizing DBT skills to augment traditional CBT for trichotillomania : An adult case study », Cognitive and Behavioral Practice, 19, p. 372-380.*
- Khantzian E.J. (1986), « Alcoholism : The challenge of conceptualization and consensus (a clinician's perspective) », Journal of Substance Abuse Treatment, 3 (4), p. 251-254.*
- King L. A. (2001), « The health benefits of writing about life goals », Personality and Social Psychology Bulletin, 27, p. 798-807.*
- Klein K., Boals A. (2001), « Expressive writing can increase working memory capacity », Journal of Experimental Psychology, 130, p. 520-533.*
- Klonsky E. D. (2007), « The functions of deliberate self-injury : A review of the evidence », Clinical Psychology Review, 27, p. 226-239.*
- Klonsky E. D., Glenn C. R. (2009), « Psychosocial risk and protective factors », in Nixon M. K., Heath N. L., Self-injury in Youth : The Essential Guide to Assessment and Intervention, New York, Routledge, p. 45-58.*
- Klonsky E. D., Moyer A. (2008), « Childhood sexual abuse and non-suicidal self-injury : A meta-analysis », British Journal of Psychiatry, 192, p. 166-170.*
- Klonsky E. D., Muehlenkamp J. J. (2007), « Self-injury : A research review for the practitioner », Journal of Clinical Psychology, 63 (11), p. 1045-1056.*

- Klonsky E. D., Muehlenkamp J. J., Lewis S. P., Walsh B. (2011), Non Suicidal Self-Injury. Advances in Psychotherapy, Boston, Hogrefe Publishing.*
- Klonsky E. D., Olino T. M. (2008), « Identifying clinically distinct subgroups of self-injurers among young adults : A latent class analysis », Journal of Consulting and Clinical Psychology, 76, p. 22-27.*
- Klonsky E. D., Oltmanns T. F., Turkeimer E. (2003), « Deliberate self-harm in a nonclinical population : prevalence and psychological correlates », American Journal of Psychiatry, 160, p. 1501-1508.*
- Kochanska G., Philibert R. A., Barry R. A. (2009), « Interplay of genes and early mother-child relationship in the development of self-regulation from toddler to preschool age », Journal of Child Psychology and Psychiatry, 50, p. 1331-1338.*
- Kochman F., Rose-Reinhardt H., Hantouche É. (2005), « Les jeunes hyperactifs deviennent-ils bipolaires ? », Interpsy, 4.*
- Kotsou I., Nelis D., Grégoire J., Mikolajczak M. (2011), « Emotional plasticity: Conditions and effects of improving emotional competence in adulthood », Journal of Applied Psychology, 96, p. 827-839.*
- Kraemer G. (1985), « Effects of differences in early social experiences on primate neurobiological-behavioral development », in Reite M., Fields T. M., *The Psychobiology of Attachment and Separation*, Orlando, Academic Press, p. 135-161.*
- Krause J. S. (1992), « Spinal cord injury and its rehabilitation », Current Opinion in Neurology and Neurosurgery, 5, p. 669-672.*
- Krishnan V., Nestler E. J. (2008), « The molecular neurobiology of depression », Nature, 455 (7215), p. 894-902.*
- Krystal H., Raskin H. (1970), *Drug Dependence, Aspect of Ego Function*, Detroit, Wayne State University Press.*
- Kumar S., Feldman G., Hayes, A. (2008), « Changes in mindfulness and emotion regulation in an exposure-based cognitive therapy for depression », Cognitive Therapy and Research, 32, p. 734-744.*
- Lacey J. E. (1993), « Self-damaging and addictive behaviour in bulimia nervosa : A catchment area study », British Journal of Psychiatry, 163, p. 190-194.*

- Lamas C., Shankland R., Nicolas I., Guelfi J.-D. (2012), *Les Troubles du comportement alimentaire*, Paris, Masson.
- Lang P.J. (1979), «*A bio-informational theory of emotional imagery*», *Psychophysiology*, 16 (6), p. 495-512.
- Lawrence K. L., Allen J. S., Chanen A. M. (2011), «*A study of maladaptive schemas and borderline personality*», *Cognitive Therapy and Research*, 35, p. 30-39.
- Laye-Gindhu A., Schonert-Reichl K. A. (2005), «*Non-suicidal self-harm among community adolescents : Understanding the “whats” and “whys” of self-harm*», *Journal of Youth and Adolescence*, 34, p. 447-456.
- Lazarus R. S., Folkman S. (1984), *Stress, Appraisal, and Coping*, New York, Springer Publishing, réédition 2008.
- Le Breton D. (1991), *Passions du risque*, Paris, Métailié.
- Le Breton D. (2003), *La Peau et la Trace. Sur les blessures de soi*, Paris, Métailié.
- Leary M. R., Twenge J. M., Quinlivan E. (2006), «*Interpersonal rejection as a determinant of anger and aggression*», *Personality and Social Psychology Review*, 10, p. 111-132.
- Lee R.J., Gill A., Chen B., McCloskey M., Coccaro E. F. (2012), «*Modulation of central serotonin affects emotional information processing in impulsive aggressive personality disorder*», *Journal of Clinical Psychopharmacology*, 32 (3), p. 329-335.
- Lesch M., Nyhan W. I. (1964), «*A familial disorder or uric acid metabolism and central nervous system function*», *American Journal of Medicine*, 36, p. 561-570.
- Levine D., Marziali E., Hood J. (1997), «*Emotion processing in borderline personality disorders*», *Journal of Nervous and Mental Disease*, 185 (4), p. 240-246.
- Levitt J. L., Sansone R. A., Cohn L. (dir.) (2004), *Self-Harm Behavior and Eating Disorders : Dynamics, Assessment, and Treatment*, New York, Routledge.

*Levy B.J., Anderson M. C. (2008), « Individual differences in the suppression of unwanted memories : The executive deficit hypothesis », *Acta Psychologica (Amst)*, 127 (3), p. 623-635.*

*Lewis S. P., Santor D. A. (2008), « Development and validation of the Self-Harm Reasons Questionnaire », *Suicide and Life-Threatening Behavior*, 38 (1), p. 104-115.*

*Lin P. Y, Tsai G. (2004), « Association between serotonin transporter gene promoter polymorphism and suicide: results of a meta-analysis », *Biol. Psychiatry*, 55 (10), p. 1023-1030.*

*Linehan M. M. (1993a), *Cognitive-Behavioral Treatment of Borderline Personality Disorder*,*

*New York, Guilford Press ; traduction française, *Traitemen cognitivo-comportemental du trouble de personnalité état-limite*, Genève, Médecine et Hygiène, 2000.*

*Linehan M. M. (1993b), *Skills Training. Manual for Treating Borderline Personality Disorder*,*

*New York, Guilford Press, traduction française, *Manuel d'entraînement aux compétences pour traiter le trouble de personnalité état-limite*, Genève, Médecine et Hygiène, 2000.*

*Linehan M. M., Comtois K. A., Brown M. Z., Heard H. L., Wagner A. (2006), « Suicide attempt self-injury interview (SASII), Development, reliability, and validity of a scale to assess suicide attempts and intentional self-injury », *Psychological Assessment*, 18, p. 302-312.*

*Links P. S., Van Reekum R. (1993), « Childhood sexual abuse, parental impairment and*

*the development of borderline personality disorder », *Can. J. Psychiatry*, 38, p. 472-474.*

*Lloyd-Richardson E. E., Nock M. K., Prinstein M. J. (2009), « Functions of adolescent nonsuicidal self-injury », in Nixon M. K., Heath N. L., *Self-Injury in Youth : The Essential Guide to Assessment and Intervention*, New York, Routledge, p. 29-41.*

- Low C. A., Stanton A. L., Danoff-Burg S. (2006), « Expressive disclosure and benefit finding among breast cancer patients : Mechanisms for positive health effects », *Health Psychology*, 25, p. 181-189.*
- Luxenberg T., Spinazzola J., Van der Kolk B. (2001), « Complex trauma and disorders of extreme stress (DESNOS) », *Directions in Psychiatry*, 21 (25), p. 373-414.*
- Lyubomirsky S., King L., Diener E. (2005), « The benefits of frequent positive affect : Does happiness lead to success ? », *Psychological Bulletin*, 131, p. 803-855.*
- Lyubomirsky S., Sousa L., Dickerhoof R. (2006), « The costs and benefits of writing, talking, and thinking about life's triumphs and defeats », *Journal of Personality and Social Psychology*, 90, p. 692-708.*
- MacLean P. D. (1949), « Psychosomatic disease and the "visceral brain", recent developments bearing on the Papez theory of emotion », *Psychosomatic Medicine*, 11 (6), p. 338-353.*
- MacLeod C., Hagan R. (1992), « Individual differences in the selective processing of threatening information, and emotional responses to a stressful life event », *Behaviour Research and Therapy*, 30, p. 151-161.*
- Madge N., Hewitt A., Hawton K., De Wilde E.J., Corcoran P., Fekete S., Van Heeringen K., De Leo D., Ystgaard M. (2008), « Deliberate self-harm within an international community sample of young people : comparative findings from the Child and Adolescent Self-harm in Europe (CASE) study », *J. Child Psychiatry*, 49 (6), p. 667-677.*
- Maex E., (2007), *Mindfulness : apprivoiser le stress par la pleine conscience. Une introduction aux approches basées sur la pleine conscience*, Bruxelles, De Boeck ;  
2<sup>e</sup> édition (2017) : *Mindfulness : apprivoiser le stress par la pleine conscience. Un programme d'entraînement en 8 semaines*, Bruxelles, De Boeck.*
- Maremmani I., Pacini M., Perugi G., Deltito J., Akiskal H. S. (2008), « Cocaine abuse and the bipolar spectrum in 1 090 heroin addicts : clinical observations and a proposed pathophysiologic model », *Journal of Affective Disorders*, 106 (1-2), p. 55-61.*

*Maremmani I., Perugi G., Pacini M., Akiskal H. S. (2006), « Toward a unitary perspective on the bipolar spectrum and substance abuse: opiate addiction as a paradigm », Journal of Affective Disorders, 93 (1-3), p. 1-12.*

*Marlatt G. A. (1996), « Taxonomy of high-risk situations for alcohol relapse : Evolution and development of a cognitive-behavioral model », Addiction, 91 (suppl.), p. 37-49.*

*Marlatt G. A., Gordon J. R. (1985), Relapse Prevention : Maintenance Strategies in the Treatment Of Addictive Behaviors, New York, Guilford Press.*

*Marlatt G. A., Witkiewicz K. (2005), « Relapse prevention for alcohol and drug problems », in Marlatt G. A., Donovan D. M., Relapse Prevention : Maintenance Strategies in the Treatment Of Addictive Behaviors, New York, Guilford Press,*  
*2<sup>e</sup> édition.*

*Marx B. P., Sloan D. M. (2002), « The role of emotion in the psychological functioning of adult survivors of childhood sexual abuse », Behavior Therapy, 33, p. 563-577.*

*Mathews A., MacLeod C. (2005), « Cognitive vulnerability to emotional disorders », Annual Review of Clinical Psychology, 1, p. 167-195.*

*Mayer J. D., Salovey P. (1997), « What is emotional intelligence ? », in Salovey P., Sluyter D., Emotional Development and Emotional Intelligence : Educational Implications, New York, Basic Books, 2<sup>e</sup> dition, p. 3-31.*

*Mazza M., Mandelli L., Di Nicola M., Harnic D., Catalano V., Tedeschi D., Martinotti G., Colombo R., Bria P., Serretti A., Janiri L. (2009), « Clinical features, response to treatment and functional outcome of bipolar disorder patients with and without co-occurring substance use disorder : 1-year follow-up », Journal of Affective Disorders, 115 (1-2), p. 27-35.*

*McAllister M. (2003), « Multiple meanings of self-harm : A critical review », International Journal of Mental Health Nursing, 12, p. 177-185.*

*McCann I., Pearlman L. (1992), « Constructivist self-development theory : A theoretical framework for assessing and treating traumatized college students », Journal of American College Health, 40 (4), p. 189-196.*

*McFarlane A. (2000), « Posttraumatic stress disorder : A model of the longitudinal course and the role of risk factors », Journal of Clinical Psychology, 61, p. 15-20.*

*McKay M., Wood J. C., Brantley J. (2007), The Dialectical Behavior Therapy Skills Workbook : Practical DBT Exercises for Learning Mindfulness, Interpersonal Effectiveness, Emotion Regulation and Distress Tolerance, Oakland, New Harbinger Publications.*

*McLean L. M., Gallop R. 2003), « Implications of childhood sexual abuse for adult borderline personnalité disorder and complex post-traumatic stress disorder », American Journal of Psychiatry, 160, p. 369-371.*

*McMakin D. L., Siegle G. J., Shirk S. R. (2011), « Positive Affect Stimulation and Sustainment (PASS) module for depressed mood : A preliminary investigation of treatment-related effects », Cognitive Therapy and Research, 35, p. 217-226.*

*Melamed S., Groswasser Z., Stern M.J. (1992), « Acceptance of disability, work involvement and subjective rehabilitation status of Traumatic Brain-Injured (TBI) patients », Brain Injury, 6, p. 233-243.*

*Meltzer H., Lader D., Corbin T., Singleton N., Jenkins R., Brugha T. (2002), Non-Fatal Suicide Behavior Among Adults Aged 16 to 74 in Great Britain, Londres, Office for National Statistics, HMSO.*

*Menninger K. (1938), Man Against Himself, New York, Harcourt Brace Jovanovich Publishers, 1966.*

*Merrell K. W. (2008), Helping Students Overcome Depression and Anxiety : A Practical Guide, New York, Guilford Press, 2<sup>e</sup> édition.*

*Meyer C. (dir.) (2008), Les Nouveaux Psy's, Paris, Marabout, partie de Pascal B., p. 654-675.*

*Mikolajczak M., Desseilles M. (2012), Traité de régulation des émotions, Bruxelles, De Boeck.*

*Mikolajczak M., Luminet O., Leroy C., Roy, E. (2007), « Psychometric properties of the trait emotional intelligence questionnaire : Factor structure, reliability, construct, and incremental validity in a french-speaking population », Journal of Personality Assessment, 88, p. 338-353.*

- Mikolajczak M., Quoidbach J., Kotsou I., Nelis, D. (2014), Les Compétences émotionnelles, Paris, Dunod.*
- Miller A. L., Rathus J. H., Linehan M. M. (2007), Dialectical Behavior Therapy with Suicidal Adolescents, New York, Guilford Press.*
- Miller D. N., Brock S. E. (2010), Identifying, Assessing, and Treating Self-Injury at School, New York, Springer.*
- Miller G. A. (1975), Language and Communication, New York, McGraw-Hill.*
- Miller W. R. (1985), « Motivation for treatment : A review with special emphasis on alcoholism », *Psychological Bulletin*, 98, p. 84-107.*
- Miller W. R., Rollnick S. (2006), L'Entretien motivationnel : aider la personne à engager le changement, Paris, InterÉditions-Dunod.*
- Minuchin S., Rosman B. L., Baker L. (1978), Psychosomatic Families: Anorexia Nervosa in Context, Cambridge (MA), Harvard University Press.*
- Mirabel-Sarron C., Provencher M. D., Aubry J. M., Beaulieu S., Leygnac-Solignac I. (2016), Mieux vivre avec un trouble bipolaire, Paris, Dunod.*
- Mishra A., Banwari G., Yadav P. (2015), « Premenstrual dysphoric disorder in medical students residing in hostel and its association with lifestyle factors », *Ind. Psychiatry J.*, 24 (2), p. 150-157.*
- Mitchell J. E., Boutacoff L. I., Hatsukami D. (1986), « Laxative abuse as a variant of bulimia », *Journal of Nervous and Mental Disease*, 174, p. 174-176.*
- Mitchell J. E., Pyle R. L., Eckert E. D., Hatsukami D., Soll E. (1990), « Bulimia nervosa in overweight individuals », *Journal of Nervous and Mental Disease*, 178, p. 324-327.*
- Mitchell R., Draper B., Harvey L., Brodaty H., Close J. (2015), « The association of physical illness and self-harm resulting in hospitalisation among older people in a population-based study », *Aging Ment. Health*, p. 1-10.*
- Mogg K., Garner M., Bradley B. P. (2007), « Anxiety and orienting of gaze to angry and fearful faces », *Biological Psychology*, 76, p. 163-169.*
- Monestès J. -L., Villatte M. (2011), La Thérapie d'acceptation et d'engagement ACT, Issy-les-Moulineaux, Elsevier Masson.*
- Moreno J. L. (1959), Psychodrama, New York, Beacon House.*

- Morton R. (1689), Phthisiologica, seu exercitationes de phthisi libris comprehensae. Totumque opus variis histories illustratum, publié en anglais en 1694 sous le titre Phthisiologia, or, A treatise of consumptions, Londres, S. Smith and B. Walford ; nouvelle édition EEBO Editions, ProQuest, 2011.*
- Mosquera D., Gonzalez A., Van der Hart O. (2010), « Borderline personality disorder, childhood trauma and structural dissociation of the personality », *Persona*, 10, p. 44-73.*
- Muehlenkamp J.J. (2005), « Self-injurious behavior as a separate clinical syndrome », *American Journal of Orthopsychiatry*, 75, p. 324-333.*
- Muehlenkamp J.J., Gutierrez P. M. (2007), « Risk for suicide attempts among adolescents who engage in non-suicidal self-injury », *Archives of Suicide Research*, 11, p. 69-82.*
- Muehlenkamp J.J., Walsh B. W., McDade M. (2010), « Preventing non-suicidal self-injury in adolescents : The signs of self-injury program », *Journal of Youth and Adolescence*, 39, p. 306-314.*
- Mueser K., Goodman L., Trumbetta S. et al. (1998), « Trauma and posttraumatic stress disorder in severe mental illness », *Journal of Consulting and Clinical Psychology*, 66, p. 493-499.*
- Mulken S., Bögels S. M., Jong P. J. de, Louwers J. (2001), Fear of blushing : Effects of task concentration training versus exposure in vivo on fear and physiology », *Journal of Anxiety Disorders*, 15 (5), p. 413-432.*
- Murphy J. G., Barnett N. P., Colby S. M. (2006), « Alcohol-related and alcohol-free activity participation and enjoyment among college students : A behavioral theories of choice analysis », *Experimental and Clinical Psychopharmacology*, 14 (3), p. 339-349.*
- Murphy P. N., Bentall R. P., Owens G. (1989), « The experience of opioid abstinence : The relevance of motivation and history », *Br. J. Addict*, 84 (6), p. 673-679.*
- Nagata T., Kawarda Y., Kiriike N., Iketani T. (2000), « Multi-impulsivity of Japanese patients with eating disorders : Primary and secondary impulsivity », *Psychiatry Research*, 94, p. 239-250.*

- Najmi S., Wegner D. M., Nock M. K. (2007), T« hought suppression and self-injurious thoughts and behaviors », Behavior Research and Therapy, 45, p. 1957-1965.*
- Nef F., Simon Y. (2004), Comment sortir de la boulimie et se réconcilier avec soi-même, Paris, Odile Jacob.*
- Nemiah J. C., Freyberger H., Sifneos P. E. (1976), « Alexithymia. A view of the psychosomatic proces », in Hill O. W., Modern Trends in Psychosomatic Medicine, volume 3, Londres, Butterworths, p. 26-34.*
- New A. S., Trestman R. L., Mitropoulou V., Benishay D. S., Coccaro E., Silverman J., Siever L. J. (1997), « Serotonergic function and self-injurious behavior in personality disorder patients », Psychiatry Res., 69, p. 17-26.*
- Nils F., Rimé B. (2012), « Beyond the myth of venting : Social sharing modes determine the benefits of emotional disclosure », European Journal of Social Psychology, 42 (6), p. 672-681.*
- Nilsson A. K., Jørgensen C. R., Straarup K. N., Licht R. W. (2010), « Severity of affective temperament and maladaptive self-schemas differentiate borderline patients, bipolar patients, and controls », Comprehensive Psychiatry, 51 (5), p. 486-491.*
- Niv S. et al. (2012), « Heritability and longitudinal stability of impulsivity in adolescence », Behav. Genet., 42, p. 378-392.*
- Nixon M. K., Cloutier P. F., Aggarwal S. (2002), « Affect regulation and addictive aspects of repetitive self-injury in hospitalized adolescents », J. Am. Acad. Child Adolesc. Psychiatry, 41 (11), p. 1333-1341.*
- Nobles C. J., Thomas J. J., Valentine S., Gerber M. W., Vaewsorn A. S., Marques L. (2016), « Association of premenstrual syndrome and premenstrual dysphoric disorder with bulimia nervosa and binge-eating disorder in a nationally representative epidemiological sample », Int. J. Eat. Disord., 49 (7), p. 641-650.*
- Nock M. K. (2009), Understanding Non-Suicidal Self-Injury : Origins, Assessment, and Treatment, Washington (DC), APA.*
- Nock M. K., Holmberg E. B., Photos V. I., Michel B. D. (2007), « The self-injurious thoughts and behaviors interview : Development, reliability, and validity in an adolescent sample », Psychological Assessment, 19, p. 309-317.*

- Nock M. K., Joiner T. E., Gordon K. H., Lloyd-Richardson E., Prinstein M. J. (2006), « Non-suicidal self-injury among adolescents : Diagnostic correlates and relation to suicide attempts », *Psychiatry Research*, 144, p. 65-72.*
- Nock M. K., Kessler R. C. (2006), « Prevalence of and risk factors for suicide attempts versus suicide gestures : Analysis of the National Comorbidity Survey », *Journal of Abnormal Psychology*, 115, p. 616-623.*
- Nock M. K., Mendes W. B. (2008), « Physiological arousal, distress tolerance, and social problem-solving deficits among adolescent self-injurers », *Journal of Consulting and Clinical Psychology*, 76, p. 228-238.*
- Nock M. K., Prinstein M. J. (2004), « A functional approach to the assessment of self-mutilative behavior », *Journal of Consulting and Clinical Psychology*, 72, p. 885-890.*
- Nock M. K., Prinstein M. J. (2005), « Contextual features and behavioral functions of self-mutilation among adolescents », *Journal of Abnormal Psychology*, 114, p. 140-146.*
- Nock M. K., Wedig M. M., Holmberg E. B., Hooley J. M. (2008), « The Emotion Reactivity Scale : Development, evaluation, and relation to self-injurious thoughts and behaviors », *Behavior Therapy*, 39, p. 107-116.*
- Noll J. G., Horowitz L. A., Bonanno G. A., Trickett P. K., Putnam F. W. (2003), « Revictimization and self-harm in females who experienced childhood sexual abuse », *Journal of Interpersonal Violence*, 18, p. 1452-1471.*
- O'Connor D. B., O'Connor R. C., Marshall R. (2007), « Perfectionism and psychological distress : Evidence of the mediating effects of rumination », *European Journal of Personality*, 21, p. 429-452.*
- Ochsner K. N., Gross J. J. (2005), « The cognitive control of emotion », *Trends in Cognitive Science*, 9, p. 242-249.*
- Ochsner K. N., Gross J. J. (2007), « The neural architecture of emotion regulation », in Gross J. J., Buck R., *The Handbook of Emotion Regulation*, New York, Guilford Press, p. 87-109.*
- Oquendo M. A., Currier D., Liu S. M., Hasin D. S., Grant B. F., Blanco C. (2010), « Increased risk for suicidal behavior in comorbid bipolar disorder and alcohol use disorders : Results from the National Epidemiologic Survey on*

- Alcohol and Related Conditions (NESARC) », J. Clin. Psychiatry, 71 (7), p. 902-909.*
- Orain-Pelissolo S. (2018), Étreindre votre douleur, éteindre votre souffrance. La thérapie basée sur la pleine conscience, Paris, Odile Jacob.*
- Organisation mondiale de la santé (1977), Classification statistique internationale des maladies et des problèmes de santé connexe, Genève, OMS, 9<sup>e</sup> édition.*
- Organisation mondiale de la santé (1990), Classification statistique internationale des maladies et des problèmes de santé connexe, Genève, OMS, 10<sup>e</sup> édition.*
- Osinsky R., Reuter M., Küpper Y., Schmitz A., Kozyra E., Alexander N., Hennig J. (2008), « Variation in the serotonin transporter gene modulates selective attention to threat », Emotion, 8 (4), p. 584-588.*
- Osuch E. A., Noll J. G., Putnam F. W. (1999), « The motivations for self-injury in psychiatric inpatients », Psychiatry, 62, p. 334-346.*
- Paivio A. (1991), Dual Coding Theory: Retrospect and Current Status, Canadian Journal of Psychology, 45, p. 255-287.*
- Paivio S. C., McCulloch C. R. (2004), « Alexithymia as a mediator between childhood trauma and self-injurious behaviors », Child Abuse and Neglect, 28, p. 339-354.*
- Panksepp J. (1998), Affective Neuroscience : The Foundations of Human and Animal Emotions, New York, Oxford University Press.*
- Pao P. E. (1969), « The syndrome of delicate self-cutting », British Journal of Medical Psychology, 42, p. 195-206.*
- Paris J., Gunderson J., Weinberg I. (2007), « The interface between borderline personality disorder and bipolar spectrum disorders », Comprehensive Psychiatry, 48, p. 145-154.*
- Parker J. D., Taylor G. J., Bagby R. M., Acklin M. W. (1993), « Alexithymia in panic disorder and simple phobia, a comparative study », American Journal of Psychiatry, 150, p. 1105-1107.*
- Parker J. D., Taylor G. J., Bagby R. M., Endler N. S., Schmitz P. (1993), « Factorial validity of the 20-item Toronto Alexithymia Scale », European Journal of*

*Personality*,  
7,  
p. 221-232.

*Pascal B. (2015), La Thérapie des schémas. Principes et outils pratiques, Issy-les-Moulineaux, Elsevier Masson.*

*Pattison E. M., Kahan J. (1983), « The deliberate self-harm syndrome », American Journal of Psychiatry, 140, p. 867-872.*

*Paul T., Schroeter M. A., Dahme B., Nutzinger D. O. (2002), « Self-injurious behavior in women with eating disorders », Am. J. Psychiatry, 159, p. 408-411.*

*Pauli-Pott U., Friedel S., Hinney A., Hebebrand J. (2009), « Serotonin transporter gene polymorphism (5-HTTLPR), environmental conditions, and developing negative emotionality and fear in early childhood », J. Neural. Transm. (Vienna), 116 (4), p. 503-512.*

*Pearlman L., Saakvitne K. (1995), Trauma and the Therapist, New York, Norton.*

*Peckham A. D., McHugh R. K., Otto M. W. (2010), « A meta-analysis of the magnitude of biased attention in depression », Depress Anxiety, 27 (12), p. 1135-1142.*

*Pelcovitz D., Van der Kolk B., Roth S. et al. (1997), « Development of a criteria set and a Structured Interview for Disorder of Extreme Stress (SIDES) », Journal of Traumatic Stress, 10, p. 3-16.*

*Penley J. A., Tomaka J., Wiebe J. S. (2002), « The association of coping to physical and psychological health outcomes : A meta-analytic review », Journal of Behavioral Medicine, 25, p. 551-603.*

*Pennebaker J. W. (2000), Writing and Health : Some Practical Advice, sur le site Internet de l'auteur.*

*Perls F. S. (1969), Gestalt Therapy Verbatim, Lafayette (CA), Real People Press.*

*Perls F. S., Hefferline R. F., Goodman P. (1951), Gestalt Therapy, New York, Julian Press.*

*Perugi G., Akiskal H. S. (2002), « The soft bipolar spectrum redefined : Focus on the cyclothymic, anxious-sensitive, impulse-dyscontrol, and binge-eating*

- connections in bipolar II and related conditions », Psychiatr. Clin. North Am., 23 (4), p. 713-737.*
- Perugi G., Hantouche É., Vannucchi G., Pinto O. (2015), « Cyclothymia reloaded : A reappraisal of the most misconceived affective disorder », Journal of Affective Disorders, 183, p. 119-133.*
- Philippot P. (2011), Émotion et psychothérapie, Bruxelles, Mardaga.*
- Pilver C. E., Libby D.J., Hoff R. A. (2013), « Premenstrual dysphoric disorder as a correlate of suicidal ideation, plans, and attempts among a nationally representative sample », Soc. Psychiatry Psychiatr. Epidemiol., 48 (3), p. 437-446.*
- Pinard L., Negrete J. C., Annable L., Audet N. (1996), « Alexithymia in substance abusers : Persistence and correlates of variance », American Journal of Addictions, 5, p. 32-39.*
- Plutchik R., Van Praag H. M. (1995), « The nature of impulsivity : Definitions, ontology, genetics, and relations to aggression », in Hollander E., Stein D. J., Impulsivity and Aggression, New York, Wiley, p. 7-24.*
- Pommereau X. (1997), Quand l'adolescent va mal, Paris, J.-C. Lattès.*
- Pommereau X. (2002), Santé des jeunes : orientations et actions à promouvoir, rapport remis au ministre délégué à la Santé, Paris, La Documentation française.*
- Pommereau X. (2006), Ado à fleur de peau. Ce que révèle son apparence, Paris, Albin Michel.*
- Pommereau X., Brun M., Mouthe J.-P. (2009), L'Adolescence scarifiée, Paris, L'Harmattan.*
- Porter E., Dutton D. (1987), « Behaviorally speaking », Training and Development Journal, 41, p. 28-33.*
- Prinstein M. J., Dodge K. A. (2008), Understanding Peer Influence in Children and Adolescents, New York, Guilford Press.*
- Prior V., Glaser D., Hallet F., Guedeney N. (2010), Comprendre l'attachement et les troubles de l'attachement, Bruxelles, De Boeck.*

- Putnam K. M., Silk K. R. (2005), « Emotion dysregulation and the development of borderline personality disorder », *Dev. Psychopathol.*, 17 (4), p. 899-925.*
- Quoidbach J., Hansenne M., Mottet C. (2008), « Personality and mental time travel : A differential approach to autonoetic consciousness », *Consciousness and Cognition*, 17, p. 1082-1092.*
- Raes F., Hermans D., Williams J. M. G., Eelen P. (2006), « Reduced autobiographical memory specificity and affect regulation », *Cognition and Emotion*, 20, p. 402-429.*
- Rapee R. M., Heimberg R. G. (1997), « A cognitive-behavioral model of anxiety in social phobia », *Behaviour Research and Therapy*, 35, p. 741-756.*
- Raskin N. J. (1952), « An objective study of the locus-of-evaluation factor in psychotherapy », in Wolf W., Precker J. A., *Success in Psychotherapy*, chapitre VI, New York, Grune and Stratton.*
- Reich D. B., Zanarini M. C., Fitzmaurice G. (2012), « Affective lability in bipolar disorder and borderline personality disorder », *Comprehensive Psychiatry*, 53 (3), p. 230-237.*
- Reynaud M. (2005), *Addictions et psychiatrie*, Paris, Masson.*
- Riegel B. J. (1993), « Contributors to cardiac invalidism after acute myocardial infarction », *Coronary Artery Disease*, 4, p. 215-220.*
- Rihmer Z., Akiskal K. K., Rihmer A., Akiskal H. S. (2010), « Current research on affective temperaments », *Curr. Opin. Psychiatry*, 23 (1), p. 12-18.*
- Rimé B. (2009), *Le Partage social des émotions*, Paris, PUF.*
- Rodham K., Hawton K., Evans E. (2004), « Reasons for deliberate self-harm : Comparison of self-poisoners and self-cutters in a community sample of adolescents », *Journal of the American Academy of Child and Adolescent Psychiatry*, 43, p. 80-87.*
- Rodríguez Guarín M., Rodríguez Malagón N., Gempeler Rueda J., Garzón D. F. (2013), « Factors associated with suicide attempts and nonsuicidal self-injurious behaviors in patients with eating disorders », *Rev. Colomb. Psiquiatr.*, 43 (suppl. 1), p. 19-26.*

- Rogers C. R. (1947), « Some observations on the organization of personality », Amer. Psychol., 2 (9), p. 358-368*
- Rogers C. R. (1961), On Becoming a Person : A Therapist's View of Psychotherapy, Boston, Houghton Mifflin.*
- Rogers C. R. (1962), Psychothérapie et relations humaines, Issy-les-Moulineaux, ESF éditeur, 2009.*
- Romo L., Aubry C., Marquez S., Adès J. (2004), « Les groupes de prévention de la rechute alcool », Le Courrier des Addictions, 3 (6), p. 3.*
- Rosenfeld F. (2007), Méditer, c'est se soigner, Paris, Les Arènes.*
- Rosenkranz M. A., Jackson D. C., Dalton K. M., Dolski I., Ryff C. D., Singer B. H., Muller D., Kalin N. H., Davidson R. J. (2003), « Affective style and in vivo immune response : Neurobehavioral mechanisms », Proceedings of the National Academy of Science USA, 100 (19), p. 11148-11152.*
- Rosenthal R. J., Rinzler C., Wallsh R., Klausner E. (1972), « Wrist-cutting syndrome : The meaning of a gesture », Am. J. Psychiatry, 128, p. 1363-1368.*
- Ross S., Heath N. (2002), « A study of the frequency of self-mutilation in a community sample of adolescents », Journal of Youth and Adolescence, 31, p. 67-77.*
- Rothbart M. K., Bates J. E. (1998), « Temperament », in Eisenberg, N., *Handbook of Child Psychology : Social, Emotional and Personality Development*, volume 3, New York, Wiley, p. 105-176.*
- Rozaire C., Guillou-Landreat M., Grall-Bronnec M., Rocher B., Venisse J. L. (2009), « Qu'est ce que l'addiction ? », Archives de politique criminelle, 1 (31), p. 9-23.*
- Rubenstein J. L., Halton A., Kasten L., Rubin C., Stechler G. (1998), « Suicidal behavior in adolescents : Stress and protection in different family contexts », American Journal of Orthopsychiatry, 68, p. 274-284.*
- Rubia K. (2009), « The neurobiology of meditation and its clinical effectiveness in psychiatric disorders », Biological Psychology, 82, p. 1-11.*

- Rudd M. D., Mandrusiak M., Joiner T. E. (2006), « *The case against no-suicide contracts : The commitment to treatment statement as a practice alternative* », *Journal of Clinical Psychology*, 62, p. 243-251.
- Ruesch J. (1948), « *The infantile personality* », *Psychosomatic Medicine*, 10, p. 134-144.
- Runeson B., Haglund A., Lichtenstein P., Tidemalm D. (2016), « *Suicide risk after nonfatal self-harm : A national cohort study, 2000-2008* », *J. Clin. Psychiatry*, 77 (2), p. 240-246.
- Russ M. J., Roth S. D., Kakuma T., Harrison K., Hull J. W. (1994), « *Pain perception in self-injurious borderline patients : Naloxone effects* », *Biological Psychiatry*, 35, p. 207-209.
- Ryan R. M., Deci E. L. (2005), « *The developmental line of autonomy in the etiology, dynamics, and treatment of borderline personality disorders* », *Development and Psychopathology*, 17, p. 987-1006.
- Saaktivivne K., Pearlman L. (1996), *Transforming the Pain*, New York, Norton.
- Saranson I. G., Saranson B. R. (1984), *Social Support as a Stable Trait*, non publié, Seattle, University of Washington.
- Saxe G., Van der Kolk B., Berkowitz R. et al. (1993), « *Dissociative disorders in psychiatric inpatients* », *American Journal of Psychiatry*, 150, p. 1037-1042.
- Saxe G. N., Chawla N., Van der Kolk B. (2002), « *Self-destructive behavior in patients with dissociative disorders* », *Suicide Life Threat Behav*, 32 (3), p. 313-320.
- Schaffer C. E. (1993), *The Role of Adult Attachment in the Experience and Regulation of Affect*, thèse de doctorat, Yale University.
- Scherer K. R. (2001), « *The nature and study of appraisal : A review of the issues* », in Scherer K. R., Schorr A., Johnstone T., *Appraisal Processes in Emotion : Theory, Methods, Research*, Oxford, Oxford University Press, p. 369-391.
- Schiller D., Monfils M. H., Raio C. M., Johnson D. C., Ledoux J. E., Phelps E. A. (2010), « *Preventing the return of fear in humans using reconsolidation update mechanisms* », *Nature*, 463, p. 49-53.

- Schmidt U., Jiwany A., Treasure J. (1993), « A controlled study of alexithymia in eating disorders », *Comprehensive Psychiatry*, 34, p. 54-58.*
- Schore A. N. (1996), « The experience-dependent maturation of a regulatory system in the orbital prefrontal cortex and the origin of developmental psychopathology », *Developmental Psychopathology*, 8, p. 59-87.*
- Schore A. N. (2001), « The effects of early relational trauma on right brain development, affect regulation, and infant mental health », *Infant Mental Health Journal*, 22, p. 201-269.*
- Schultz H. (1958), *Le Training autogène*, Paris, PUF.*
- Schulze L. et al. (2011), « Neuronal correlates of cognitive reappraisal in borderline patients with affective instability », *Biol. Psychiatry*, 69 (6), p. 546-573.*
- Schwartz J. M., Beyette B. (1997), *Brain Lock. Free Yourself from Obsessive-Compulsive Behavior*, New York, Harper Perennial.*
- Scourfield J., Roen K., McDermott L. (2008), « Lesbian, gay, bisexual and transgender young people's experiences of distress : Resilience, ambivalence and self-destructive behavior », *Health and Social Care in the Community*, 16, p. 329-336.*
- Segal Z. V., Williams J. M. G., Teasdale J. D. (2002), *Mindfulness-Based Cognitive Therapy for Depression*, New York, Guilford Press.*
- Seligman M. E. P. (1995), « The effectiveness of psychotherapy. The consumer reports study », *American Psychologist*, 50, p. 965-974.*
- Seligman M. E. P. (2009), *La Force de l'optimisme*, Paris, InterÉditions.*
- Seligman M. E. P., Rashid T., Parks A. C. (2006), « Positive psychotherapy », *American Psychologist*, 61, p. 774-788.*
- Seligman M. E. P., Steen T. A., Park N., Peterson C. (2005), « Positive psychology progress. Empirical validation of interventions », *American Psychologist*, 60, p. 410-421.*
- Selvini-Palazzoli M. (1963), *Anoressia mentale*, Milan, Feltrini.*

*Servant D. (2015), La Relaxation. Nouvelles approches, nouvelles pratiques, Paris, Masson,*  
*2<sup>e</sup> édition.*

*Seznec J.-C. (2013), J'arrête de m'arracher les cheveux. Soigner la trichotillomanie, Paris, PUF, « Les psychoguides ».*

*Shalev A. (2000), « Measuring outcome in posttraumatic stress disorder », *Journal of Clinical Psychiatry*, 61, p. 33-39.*

*Shapiro F. (2007), Manuel d'EMDR. Principes, protocoles, procédures, Paris, InterÉditions.*

*Sher L., Stanley B. (2009), « Biological models of non-suicidal self-injury », in Nock M. K., *Understanding Non-Suicidal Self-Injury : Origins, Assessment, and Treatment*, Washington (DC), APA.*

*Sherwood Brown E., Suppes T., Adinoff B., Rajan Thomas N. (2001), « Drug abuse and bipolar disorder : Comorbidity or misdiagnosis ? », *J. Affect. Disord.*, 65 (2), p. 105-115.*

*Siegle G.J., Ghinassi F., Thase M. E. (2007), « Neurobehavioral therapies in the 21st Century : Summary of an emerging field and an extended example of cognitive control training for depression », *Cognitive Therapy and Research*, 31, p. 235-262.*

*Sifneos P. E. (1972-1973), « Is dynamic psychotherapy contraindicated for a large number of patients with psychosomatic disease ? », *Psychotherapy and Psychosomatics*, 21, p. 133-136.*

*Sifneos P. E. (1973), « The Prevalence of “Alexitymia” characteristics in psychosomatic patient », *Psychotherapy and Psychosomatics*, 22, p. 255-262.*

*Simeon D., Favazza A. (2001), « Self-injurious behaviors : Phenomenology and assessment », in Simeon D., Hollander E., *Self-Injurious Behaviors : Phenomenology and Treatment*, Washington (DC), APA, p. 1-28.*

*Simeon D., Stanley B., Frances A., Mann J.J., Winchel R., Stanley M. (1992), « Self-mutilation in personality disorders : Psychological and biological correlates », *American Journal of Psychiatry*, 149, p. 221-226.*

*Skegg K. (2005), « Self-harm », *Lancet*, 366 (9495), p. 1471-1483.*

- Skinner M. D., Aubin H.J. (2010), « Craving's place in addiction theory : Contributions of the major models », *Neuroscience and Biobehavioral Reviews*, 34, p. 606-623.*
- Slee N., Spinoven P., Garnefski N., Arensman E. (2008), « Emotion regulation as mediator of treatment outcome in therapy for deliberate self-harm », *Clinical Psychology and Psychotherapy*, 15, p. 205-216.*
- Smucker M. R., Dancu C., Foa E. B., Niederee J. L. (1995), « Imagery rescripting : A new treatment for survivors of childhood sexual abuse suffering from posttraumatic stress », *Journal of Cognitive Psychotherapy : An International Quarterly*, 9 (1), p. 3-17.*
- Snorrason I., Berlin G. S., Lee H.J. (2015), « Optimizing psychological interventions for trichotillomania (hair-pulling disorder) : An update on current empirical status », *Psychology Research and Behavior Management*, 8, p. 105-113.*
- Sobell M. B., Sobell L. C. (1973), « Individualized behaviour therapy for alcoholics », *Behavior Therapy*, 4, p. 49-72.*
- Spalletta G., Pasini A., Costa A., De Angelis D., Ramundo N., Paolucci S., Caltagirone C. (2001), « Alexithymic features in stroke, effects of laterality and gender », *Psychosomatic Medicine*, 63, p. 944-950.*
- Stanton A. L., Danoff-Burg S., Cameron C. L., Bishop M., Collins C. A., Kirk S. B., Sworowski L. A., Twillman R. (2000a), « Emotionally expressive coping predicts psychological and physical adjustment to breast cancer », *Journal of Consulting and Clinical Psychology*, 68, p. 875-882.*
- Stanton A. L., Kirk S. B., Cameron C. L., Danoff-Burg S. (2000b), « Coping through emotional approach : Scale construction and validation », *Journal of Personality and Social Psychology*, 78, p. 1150-1169.*
- Steele K., Van der Hart O., Nijenhuis E. R. S. (2005), « Phase-oriented treatment of structural dissociation in complex traumatization : Overcoming trauma-related phobias », *Journal of Trauma and Dissociation*, 6 (3), p. 11-53.*
- Stefanos S., Biebl W., Plaum F. G. (1976), « Ambulatory analytical psychotherapy of psychosomatic patients, a report on the method of “relaxation analytique” », *British Journal of Medical Psychology*, 49, p. 305-313.*

- Stein D. J., Hollander E., Liebowitz M. R. (1993), N« eurobiology of impulsivity and the impulse control disorders », The Journal of Neuropsychiatry and Clinical Neurosciences, 5, p. 9-17.*
- Stern A. (1938), « Psychoanalytic investigation of and therapy in the borderline group of neuroses », The Psychoanalytic Quarterly, 7 (4), p. 467-489.*
- Stern D. (1985), The Interpersonnal World of the Infant, New York, Basic Books.*
- Strack F., Martin L. L., Stepper S. (1988), « Inhibiting and facilitating conditions of the human smile : A nonobtrusive test of the facial feedback hypothesis », Journal of Personality and Social Psychology, 54, p. 768-777.*
- Swann A. C. (2010), « The strong relationship between bipolar and substance-use disorder », Ann. N. Y. Acad. Sci., 1187, p. 276-293.*
- Swiller H. I. (1988), « Alexithymia, treatment utilizing combined individual and group psychotherapy », International Journal of Group Psychotherapy, 38, p. 47-61.*
- Szily E., Bowen J., Unoka Z., Simon L., Keri S. (2008), « Emotion appraisal is modulated by the genetic polymorphism of the serotonin transporter », Journal of Neural Transmission, 115, p. 819-822.*
- Taylor G. J. (1987), Psychosomatic Medicine and Contemporary Psycho-Analysis, Madison (CT), International University Press.*
- Taylor G. J., Parker J. D., Bagby R. M. (1990), « A preliminary investigation of alexithymia in men with psychoactive substance dependence », Am. J. Psychiatry, 147 (9), p. 1228-1230.*
- Taylor G. J., Parker J. D. A., Bagby R. M., Bourke M. P. (1996), « Relationships between alexithymia and psychological characteristics associated with eating disorders », Journal of Psychosomatic Research, 41, p. 561-568.*
- Terr L. (1991), « Childhood trauma : An outline and overview », American Journal of Psychiatry, 148 (1), p. 10-20.*
- Thomas E., Santa C. A., Bronson D., Oyserman D. (1987), « Unilateral family therapy with the spouse of alcoholics », J. Soc. Serv. Res., 10, p. 145-163.*

*Tison P., Hautekèete M. (1998), « Mise en évidence de schémas cognitifs dysfonctionnels chez les toxicomanes », Journal de thérapie cognitive et comportementale, 8 (2), p. 43-49.*

*Trybou V. (2018), Comprendre et traiter l'anxiété sociale. Nouvelles approches en TCC, Paris, Dunod.*

*Trybou V. (2016), Trop perfectionniste ? Manuel pour les accros du détail, Paris, Josette Lyon.*

*Tulloch A. L., Blizzard L., Pinkus Z. (1997), « Adolescent-parent communication in self-harm », Journal of Adolescent Health, 21, p. 267-275.*

*Turner R. M. (2000), « Naturalistic evaluation of dialectical behavior therapy-oriented treatment for borderline personality disorder », Cognitive and Behavioral Practice, 7, p. 413-419.*

*Valleur M., Matysiak J. C. (2002), Les Addictions, Paris, Armand Collin.*

*Van der Hart O., Nijenhuis E., Steele K. (2005), « Dissociation : An insufficiently recognized major feature of complex PTSD », Journal of Traumatic Stress, 18 (5), p. 413-423.*

*Van der Hart O., Van der Kolk B. A., Boon S. (1998), « Treatment of dissociative disorders », in Bremner J. D., Marmar C. R., Trauma, Memory, and Dissociation, Washington (DC), APA, p. 253-283.*

*Van der Kolk B. (2001), « The assessment and treatment of complex PTSD », in Yehuda R., Treating Trauma Survivors with PTSD, Washington (DC), APA.*

*Van der Kolk B., Perry C., Herman J. (1991), « Childhood origins of self-destructive behavior », American Journal of Psychiatry, 148, p. 1665-1671.*

*Van der Kolk B., Roth S., Pelcovitz D., Mandel F. (1993), Complex PTSD : Results of the PTSD Field Trial for DSM-IV, Washington (DC), APA.*

*Van der Kolk B. A. (2005), « Developmental trauma disorder : Toward a rational diagnosis for children with complex trauma histories », Psychiatric Annals, 35, p. 401-408.*

*Van der Kolk B. A., Hostetler A., Herron N., Fisler R. E. (1994), « Trauma and the development of borderline personality disorder », *Psychiatr. Clin. North Am.*, 17, p. 715-730.*

*Vandereycken W. (2002), « Families of patients with eating disorders », in Fairburn C., Brownell K., *Eating Disorders and Obesity. A comprehensive Handbook*, New York, Guilford Press.*

*Vanderlinden J. (2012), « Traitement des troubles dissociatifs et des conséquences de la traumatisation chronique », in Kédia M. et al., *Dissociation et mémoire traumatisante*, Paris, Dunod.*

*Victor S. E., Glenn C. R., Klonsky E. D. (2012), « Is non-suicidal self-injury an “addiction”? A comparison of craving in substance use and non-suicidal self-injury », *Psychiatry Res.*, 197 (1-2), p. 73-77.*

*Vrielynck N., Philippot P. (2009), « Regulating emotion during imaginal exposure to social anxiety : Impact of the specificity of information processing », *Journal of Behaviour Therapy and Experimental Psychiatry*, 40, p. 274-282.*

*Vrielynck N., Philippot P., Rimé B. (2010), « Level of processing modulates benefits of writing about stressful events : Comparing generic and specific recall », *Cognition and Emotion*, 24, p. 1117-1132.*

*Wadlinger H. A., Isaacowitz D. M. (2011), « Fixing our focus : Training attention to regulate emotion », *Personality and Social Psychology Review*, 15, p. 75-102.*

*Wagner S., Baskaya O., Anicker N. J., Dahmen N., Lieb K., Tadić A. (2010a), « The catechol o-methyltransferase (COMT) Val(158)Met polymorphism modulates the association of serious life events (SLE) and impulsive aggression in female patients with borderline personality disorder (BPD) », *Acta Psychiatr Scand*, 122 (2), p. 110-117.*

*Wagner S., Baskaya O., Dahmen N., Lieb K., Tadić A. (2010b), « Modulatory role of the brain-derived neurotrophic factor Val66Met polymorphism on the effects of serious life events on impulsive aggression in borderline personality disorder », *Genes Brain Behav.*, 9 (1), p. 97-102.*

*Wagner S., Baskaya O., Dahmen N., Lieb K., Tadić A. (2010c), « Lack of modulating effects of the COMT Val(158)Met polymorphism on the association of serious*

*life events (SLE) and impulsivity in patients with borderline personality disorder »,*

*J. Psychiatr. Res., 44 (2), p. 121-122.*

*Wagner S., Baskaya O., Lieb K., Dahmen N., Tadić A. (2009), « The 5-HTTLPR polymorphism modulates the association of serious life events (SLE) and impulsivity in patients with borderline personality disorder », J. Psychiatr. Res.,*

*43 (13), p. 1067-1072.*

*Walker W. R., Skowronski J.J., Thompson C. P. (2003), « Life is pleasant-and memory helps to keep it that way ! », Review of General Psychology, 7, p. 203-210.*

*Walsh B. W. (2006), Treating Self-Injury : A Practical Guide, New York, Guilford Press.*

*Walsh B. W., Rosen P. M. (1988), Self-Mutilation : Theory, Research and Treatment, New York, Guilford Press.*

*Warn A., Murray C., Fox J. (2003), « Why do people self-harm ? », Psychol. Health Med., 8 (1), p. 72-79.*

*Warrington F. W. (1882), « The case of Isaac Brooks », Journal of Mental Science, 28, p. 69-74.*

*Washburn J. J., Juzwin K. R., Styer D. M., Aldridge D. (2010), « Measuring the urge to self-injure : Preliminary data from a clinical sample », Psychiatry Res., 178, p. 540-544.*

*Watkins E., Moberly N.J., Moulds M. L. (2008), « Processing mode causally influences emotional reactivity : Distinct effects of abstract versus concrete construal on emotional response », Emotion, 8 (3), p. 364-378.*

*Watkins E. R., Baeyens C. B., Read R. (2009), « Concreteness training reduces dysphoria : Proof-of-principle for repeated cognitive bias modification in depression », Journal of Abnormal Psychology, 118, p. 55-64.*

*Wedig M. M., Nock M. K. (2007), « Parental expressed emotion and adolescent self-injury », Journal of the American Academy of Child and Adolescent Psychiatry, 46, p. 1171-1178.*

- Wei M., Shaffer P. A., Young S. K., Zakalik R. A. (2005), « Adult attachment, shame, depression, and loneliness : The mediation role of basic psychological needs satisfaction », *Journal of Counseling Psychology*, 52, p. 591-601.*
- Weierich M. R., Nock M. K. (2008), « Posttraumatic stress symptoms mediate the relationship between childhood sexual abuse and nonsuicidal self-injury », *Journal of Consulting and Clinical Psychology*, 76, p. 39-44.*
- Weintraub S., Mesulam M. M. (1983), « Developmental learning disabilities of the right hemisphere », *Archives of Neurology*, 40, p. 463-468.*
- Wells A. (2000), *Emotional Disorders and Metacognition : Innovative Cognitive Therapy*, New York, John Wiley & Sons.*
- Whitlock J., Eckenrode J., Silverman D. (2006), Self-injurious behaviors in a college population, *Pediatrics*, 117, p. 1939-1948.*
- Whitlock J., Lader W., Conterio K. (2007), « The Internet and self-injury : What psychotherapists should know », *Journal of Clinical Psychology, in Session*, 63, p. 1135-1143.*
- Whitlock J., Powers J. L., Eckenrode J. (2006), « The virtual cutting edge : The Internet and adolescent self-injury », *Developmental Psychology*, 42, p. 407-417.*
- Whitlock L., Muehlenkamp J. J., Eckenrode J. (2008), « Variation in nonsuicidal self-injury : Identification and features of latent classes in a college population of emerging adults », *Journal of Clinical Child and Adolescent Psychology*, 37, p. 725-735.*
- Wolpe J. (1968), « Psychotherapy by reciprocal inhibition », *Conditional Reflex*, 3, p. 234-240.*
- Wolpe J. (1975), *Pratique de la thérapie comportementale*, Paris, Masson, 2<sup>e</sup> édition.*
- Woods D. W., Twohig M. P. (2008), *Trichotillomania. An ACT-Enhanced Behavior Therapy Approach. Therapist Guide*, Oxford, Oxford University Press.*
- Woods D. W., Wetterneck C. T., Flessner C. A. (2006), « A controlled evaluation of acceptance and commitment therapy plus habit reversal for trichotillomania », *Behav. Res. Ther.*, 44, p. 639-656.*

- Wulff M. (1932), « Sur un intéressant complexe symptomatique oral et sa relation à l'addiction », traduction française in Brusset B., Couvreur C. (dir.) (1991), *La Boulimie*, Paris, PUF.*
- Yates T. M. (2009), « Developmental pathways from child maltreatment to nonsuicidal self-injury », in Nock M. K., *Understanding Non-Suicidal Self-Injury : Origins, Assessment, and Treatment*, Washington (DC), APA.*
- Yehuda R., Steiner A., Kahana B., Binder-Brynes K., Southwick S. M., Zemelman S., Giller E. L. (1997), « Alexithymia in Holocaust survivors with and without PTSD », *Journal of Trauma and Stress*, 10 (1), p. 93-100.*
- Young J. E. (1990), *Cognitive Therapy for Personality Disorders*, Sarasota (FL), Professional Ressources Press.*
- Young J. E. (2005), *Young Schema Questionnaire : Short Form (YSQ-S3)*, New York, Cognitive Therapy Center.*
- Young J. E., Brown G. (1994), « Young schema questionnaire », in Young J. E., *Cognitive Therapy for Personality Disorders : A Schema-Focused Approach*, Sarasota (FL), Professional Ressources Press, 2<sup>e</sup> édition, p. 63-76.*
- Young J. E., Brown G. (1998), *Young Schema Questionnaire : Short Form*, New York, Cognitive Therapy Center.*
- Young J. E., Klosko J. S. (2003), *Je réinvente ma vie*, Montral, Les Éditions de l'homme.*
- Young J. E., Klosko J. S. (2005), *La Thérapie des schémas : approche cognitive des troubles de la personnalité*, Bruxelles, De Boeck.*
- Zanarini M., Ruser T., Frankenburg F., Hennen J., Gunderson J. (2000), « Risk factors associated with the dissociated experiences of borderline patients », *Journal of Nervous and Mental Disease*, 188, p. 26-30.*
- Zanarini M. C., Gunderson J. G., Frankenburg F. R., Chauncay D. L. (1990), « Discriminating borderline personality disorder from other axis II disorders », *Am. J. Psychiatry*, 147, p. 161-167.*
- Zanarini M. C., Yong L., Frankenburg F., Hennen J., Reich D., Marino M., Vujanovic A. (2002), « Severity of reported childhood sexual abuse and its relationship to severity of borderline psychopathology and psychosocial impairment*

- among borderline inpatients », Journal of Nervous and Mental Diseases, 190, p. 381-387.*
- Zauberman G., Ratner R. K., Kim B. K. (2009), « Memories as assets: Strategic memory protection in choice over time », Journal of Consumer Research, 35, p. 715-728.*
- Zech E. (2000), The Effects of The Communication of Emotional Experiences, thèse de licence non publiée, Université de Louvain-la-Neuve.*
- Zech E., Rimé B. (2005), « Is talking about an emotional experience helpful ? Effects on emotional recovery and perceived benefits », Clinical Psychology and Psychotherapy, 12, p. 270-287.*
- Zeidner M., Matthews G., Roberts R. D., MacCann C. (2003), « Development of emotional intelligence : Towards a multi-level investment model », Human Development, 46, p. 69-96.*
- Zlotnick C., Shea M. T., Recupero P., Bidadi K., Pearlstein T., Brown P. (1997), « Trauma, dissociation, impulsivity, and self-mutilation among substance abuse patients », American Journal of Orthopsychiatry, 67, p. 650-654.*
- Zoroglu S. S., Tuzun U., Sar V., Tutkun H., Savas H. A., Ozturk M. et al. (2003), « Suicide attempts and self-mutilation among Turkish high school students in relation with abuse, neglect and dissociation », Psychiatry & Clinical Neurosciences, 57, p. 119-126.*